

2003 FLEET OPERATIONS CLASS STANDARDS

TABLE OF CONTENTS

CLASS	DESCRIPTION	VEHICLE	PRICE	PAGE
0202	One ton, regular cab, 4x2	2003 Ford Super Duty F350 SRW (F30)	\$18,344.00	2
0203	One ton, regular cab, 4x4	2003 Ford Super Duty F350 SRW (F31)	\$21,439.00	5
0205	One ton, extended cab, 4x2	2003 Ford Super Duty F350 SRW (X31)	\$24,013.00	8
0210	One ton, crew cab, 4x2	2003 Ford Super Duty F350 SRW (W30)	\$21,812.00	11
0211	One ton, crew cab, 4x4	2003 Ford Super Duty F350 SRW (W31)	\$24,910.00	14
0212	½ ton, regular cab, 4x2	2003 Ford F150 (F17)	\$15,177.00	17
0213	½ ton, regular cab, 4x4	2003 Ford F150 (F18)	\$18,586.00	20
0214	½ ton, extended cab, 4x2	2003 Ford F150 (X17)	\$18,059.00	23
0215	½ ton, extended cab, 4x4	2003 Ford F150 (X18)	\$21,263.00	26
0216	¾ ton, regular cab, 4x2	2003 Ford Super Duty F250 (F20)	\$17,831.00	29
0217	¾ ton, regular cab, 4x4	2003 Ford Super Duty F250 (F21)	\$21,157.00	32
0218	¾ ton, extended cab, 4x2	2003 Ford Super Duty F250 (X20)	\$19,810.00	35
0219	¾ ton, extended cab, 4x4	2003 Ford Super Duty F250 (X21)	\$23,226.00	38
0226	Compact, regular cab, 4x2	2003 GMC Sonoma (TS10803)	\$13,003.00	41
0227	Compact, regular cab, 4x4	2003 Dodge Dakota (AN5E61)	\$16,343.00	44
0228	Compact, extended cab, 4x2	2003 Chevrolet S10 (CS10653)	\$13,795.00	47
0229	Compact, extended cab, 4x4	2003 Chevrolet S10 (CT10653)	\$17,184.00	50
0601	Sedan, midsize	2003 Ford Taurus (P52)	\$15,291.00	53
0602	Sedan, wagon	2003 Ford Taurus Wagon (P58)	\$16,945.00	56
0604	Sedan, compact	2003 Chevrolet Cavalier (1JC69)	\$12,643.00	59
0605	Sedan, mid, police, unmarked	2003 Chevrolet Impala Unm PP (1WF19)	\$21,636.00	62
0607	Sedan, fullsize	2003 Dodge Intrepid (LHDH41)	\$15,757.00	65
0609	Sedan, executive	Agency choice	\$21,000.00	
4801	Utility, sport, mini, 4x2	2003 Ford Escape (U03)	\$19,250.00	68
4802	Utility, sport, mini, 4x4	2003 Ford Escape (U93)	\$20,679.00	71
4802	Utility, sport, mini, 4x4, tow pkg	2003 Chevrolet Blazer (CT10506)	\$22,452.00	74
4804	Utility, sport, fullsize, 4x4	2003 Ford Expedition (U16)	\$28,227.00	77
4811	Utility, sport, midsize, 4x4	2003 Ford Explorer (U72)	\$22,749.00	81
4901	Van, mini, 7-passenger	2003 Chevrolet Venture (1UN16)	\$18,947.00	85
4903	Van, mini, 7-passenger, AWD	2003 GMC Safari Passenger (TL11006)	\$20,262.00	87
4904	Van, mini, cargo	2003 Dodge Ram Van 1500 (AB1L11)	\$13,245.00	90
4907	Van, fullsize, 12-passenger	2003 Ford E350 Super (E31)	\$22,308.00	93
4907	Van, fullsize, 15-passenger	2003 Ford E350 Super Ext (S31)	\$22,785.00	96
4910	Van, fullsize, cargo	2003 Dodge Ram Van 3500 (AB3L12)	\$16,807.00	99

**2003 FORD SUPER DUTY F350
F30 REG CAB 137" XL**

Standard Class: 0202

Total Price: \$18,344.00

EQUIPMENT

MECHANICAL

6.8L (415) SOHC SEFI V10 Engine
HD 4-speed automatic transmission w/od
3.73 axle ratio
Rear wheel drive
78 amp/hr (750 CCA) maintenance-free battery
130 amp alternator
Trailer tow pkg-inc: 7/4-pin trailer combination connector, trailer brake wiring kit, trailer tow guide
137" WB
8' pickup box w/tie-down hooks & partitionable/stackable storage
(2) front tow hooks
9,900# GVWR (4700 front/6830 rear), springs (4700 front/6830 rear), axles (4850 front/6830 rear)
Twin I-beam front axle
Front stabilizer bar
HD gas shock absorbers
Camper package, inc: heavy service front springs, rear stabilizer bar
(5) LT265/75R16E all-terrain SBR BSW tires
16" x 7.0" 8-hole argent painted steel wheels w/black center ornaments
Full-size spare tire w/argent steel wheel, lock, underframe crank carrier
Speed control
Tilt steering
Pwr steering
Pwr 4-wheel disc brakes w/4-wheel anti-lock system
38 gallon fuel tank

EXTERIOR

Front/rear license plate bracket
Argent painted front/rear step bumper
Black box-rail/tailgate top edge moldings
Valance air dam
Argent grille
Sealed beam halogen headlamps
Pickup box/cargo light
Manual telescoping trailer tow mirrors
Solar tinted glass
Interval wipers
Black door handles
Tailgate w/black handle
Black tubular cab steps
Class V trailer hitch receiver

INTERIOR

HD cloth split bench front bench seat w/outboard headrests
Black vinyl full-floor covering
Color-keyed scuff plates
Black vinyl steering wheel
Instrumentation-inc: tachometer, trip odometer, voltmeter, oil pressure/ coolant temp/fuel gauges, indicator lights
Belt Minder seatbelt-not-buckled chime & flashing warning light
Inside hood release
(4) air registers w/positive shut-off
Electronic AM/FM stereo radio w/cassette-inc: digital clock, (4) speakers
Color-keyed instrument panel-inc: dual cupholders, glove box, ashtray, cigar lighter, storage bin, trash bag hook
Auxiliary pwr point
Color-keyed molded door trim panel-inc: hard armrest, grab handle, reflector
11.5" day/night mirror
Color-keyed molded cloth headliner
Driver & front passenger grab handles
Front passenger-side roof ride handle
Dual color-keyed cloth sunvisors-inc: driver-side map strap, passenger-side mirror insert
Dual color-keyed coat hooks
Door operated dome lamp w/time delay off
Dual map lights
Grey fabric back panel cover
Air conditioning

SAFETY

4-wheel anti-lock braking system
Driver & front passenger airbags w/passenger-side deactivation switch
Color-keyed safety belts w/adjustable D-rings
Child seat tethers on all seats
Dual-note horn
Daytime running lights

POWERTRAIN

SAE Net Horsepower @ RPM 310 @ 4250
SAE Net Torque @ RPM 425 @ 3250

MILEAGE

Fuel Economy Est (MPG) not reported
Cruising Range (mi) not reported

PAYLOAD/TRAILERING SPECIFICATIONS

WEIGHT INFORMATION	Front	Rear	Total
Gross Axle Weight Rating (lbs)	3,650.00	6,830.00	10,480.00
Curb Weight (lbs)	2,985.00	2,210.00	5,195.00
Total Option Weight (lbs)	263.00	236.00	499.00
Reserve Axle Capacity (lbs)	not reported		
Gross Vehicle Weight Rating (lbs)			9,900.00
As Spec'd Curb Weight (lbs)			5,694.00
As Spec'd Payload (lbs)			4,206.00

2003 FLEET OPERATIONS CLASS STANDARDS

Gross Combined Wt Rating (lbs) 17,000.00

TRAILERING	Max Trailer Wt.	Max Tongue Load
Dead Weight Hitch (lbs)	5,000.00	500.00
Weight Distributing Hitch (lbs)	11,006.00	1,250.00
Fifth Wheel Hitch (lbs)	11,006.00	2,751.50

DIMENSION SPECIFICATIONS**EXTERIOR DIMENSIONS**

Wheelbase (in)	137.00
Length, Overall w/o rear bumper (in)	222.20
Width, Max w/o mirrors (in)	79.90
Height, Overall (in)	76.30
Overhang	
Overhang, Front (in)	37.40
Front Bumper to Back of Cab (in)	118.20
Cab to Axle (in)	56.20
Cab to End of Frame (in)	not reported
Ground to Top of Load Floor (in)	34.00
Ground to Top of Frame (in)	not reported
Frame Width, Rear (in)	not reported
Ground Clearance	
Ground Clearance, Front (in)	not reported
Ground Clearance, Rear (in)	not reported

CARGO AREA DIMENSIONS

Cargo Box Length @ Floor (in)	98.60
Width	
Cargo Box Width @ Top, Rear (in)	64.60
Cargo Box Width @ Floor (in)	not reported
Cargo Box Width @ Wheelhousings (in)	50.90
Cargo Box (Area) Height (in)	20.00
Tailgate Width (in)	65.00
Cargo Volume (ft ³)	77.70
Ext'd Cab Cargo Volume (ft ³)	not reported

INTERIOR DIMENSIONS

Passenger Capacity	3
Seating Position	Front
Head Room (in)	41.30
Leg Room (in)	40.70
Shoulder Room (in)	68.00
Hip Room (in)	67.40

**2003 Ford Super Duty F-350 SRW
F31 Reg Cab 137" XL 4WD**

Standard Class: 0203

Total Price: \$21,439.00

EQUIPMENT

MECHANICAL

6.8L (415) SOHC SEFI V10 engine
HD 4-speed automatic transmission w/od
Electric shift-on-the-fly transfer case
4.30 axle ratio with limited slip rear axle
Four wheel drive
Auto locking front hubs w/manual override
78 amp/hr (750 CCA) maintenance-free battery
130-amp alternator
Trailer tow pkg-inc: 7/4-pin trailer combination connector, trailer brake wiring kit, trailer tow guide
Class V trailer hitch receiver
137" WB
8' pickup box w/tie-down hooks & partitionable/stackable storage
(2) front tow hooks
9,900# GVWR (4700 front/6830 rear), springs (4700 front/6830 rear), axles (5200 front/6830 rear)
Mono-beam front axle
Front stabilizer bar
HD gas shock absorbers
Camper package, inc: heavy service front springs, rear stabilizer bar
(5) LT265/75R16E all-terrain SBR BSW tires
16" x 7.0" 8-hole argent painted steel wheels w/black center ornaments
Full-size spare tire w/argent steel wheel, lock, underframe crank carrier
Speed control
Tilt steering
Pwr steering
Pwr 4-wheel disc brakes w/4-wheel anti-lock system
38 gallon fuel tank

EXTERIOR

Front/rear license plate bracket
Argent painted front/rear step bumper
Black box-rail/tailgate top edge moldings
Valance air dam
Argent grille
Sealed beam halogen headlamps
Pickup box/cargo light
Manual telescoping trailer tow mirrors
Solar tinted glass
Interval wipers
Black door handles
Tailgate w/black handle
Transfer case/fuel tank skid plates
Black tubular cab steps

INTERIOR

HD cloth front split bench seat w/outboard headrests
Black vinyl full-floor covering
Color-keyed scuff plates
Black vinyl steering wheel
Instrumentation-inc: tachometer, trip odometer, voltmeter, oil pressure/ coolant temp/fuel gauges, indicator lights
Belt Minder seatbelt-not-buckled chime & flashing warning light
Inside hood release
(4) air registers w/positive shut-off
Electronic AM/FM stereo radio w/cassette-inc: digital clock, (4) speakers
Color-keyed instrument panel-inc: dual cupholders, glove box, ashtray, cigar lighter, storage bin, trash bag hook
Auxiliary pwr point
Color-keyed molded door trim panel-inc: hard armrest, grab handle, reflector
11.5" day/night mirror
Color-keyed molded cloth headliner
Driver & front passenger grab handles
Front passenger-side roof ride handle
Dual color-keyed cloth sunvisors-inc: driver-side map strap, passenger-side mirror insert
Dual color-keyed coat hooks
Door operated dome lamp w/time delay off
Dual map lights
Grey fabric back panel cover
Air conditioning

SAFETY

4-wheel anti-lock braking system
Driver & front passenger airbags w/passenger-side deactivation switch
Color-keyed safety belts w/adjustable D-rings
Child seat tethers on all seats
Dual-note horn
Daytime running lights

POWERTRAIN

SAE Net Horsepower @ RPM 310 @ 4250
SAE Net Torque @ RPM 425 @ 3250

MILEAGE

EPA Fuel Economy Est (MPG) not reported
Cruising Range (mi) not reported

PAYLOAD/TRAILERING SPECIFICATIONS

WEIGHT INFORMATION	Front	Rear	Total
Gross Axle Weight Rating (lbs)	4,400.00	6,830.00	11,230.00
Curb Weight (lbs)	3,333.00	2,258.00	5,591.00
Total Option Weight (lbs)	239.00	222.00	461.00
Reserve Axle Capacity (lbs)	- TBD -	- TBD -	- TBD -
Gross Vehicle Weight Rating (lbs)			9,900.00
As Spec'd Curb Weight (lbs)			6,052.00
As Spec'd Payload (lbs)			3,848.00

2003 FLEET OPERATIONS CLASS STANDARDS

Gross Combined Wt Rating (lbs) 20,000.00

TRAILERING	Max Trailer Wt.	Max Tongue Load
Dead Weight Hitch (lbs)	5,000.00	500.00
Weight Distributing Hitch (lbs)	12,500.00	1,250.00
Fifth Wheel Hitch (lbs)	13,648.00	3,412.00

DIMENSION SPECIFICATIONS**EXTERIOR DIMENSIONS**

Wheelbase (in)	137.00
Length, Overall w/o rear bumper (in)	222.20
Width, Max w/o mirrors (in)	79.90
Height, Overall (in)	80.30
Overhang	
Overhang, Front (in)	37.40
Front Bumper to Back of Cab (in)	118.20
Cab to Axle (in)	56.20
Cab to End of Frame (in)	not reported
Ground to Top of Load Floor (in)	37.80
Ground to Top of Frame (in)	not reported
Frame Width, Rear (in)	not reported
Ground Clearance	
Ground Clearance, Front (in)	not reported
Ground Clearance, Rear (in)	not reported

CARGO AREA DIMENSIONS

Cargo Box Length @ Floor (in)	98.60
Width	
Cargo Box Width @ Top, Rear (in)	64.60
Cargo Box Width @ Floor (in)	not reported
Cargo Box Width @ Wheelhousings (in)	50.90
Cargo Box (Area) Height (in)	20.00
Tailgate Width (in)	65.00
Cargo Volume (ft ³)	77.70
Ext'd Cab Cargo Volume (ft ³)	

INTERIOR DIMENSIONS

Passenger Capacity	3
Seating Position	Front
Head Room (in)	41.30
Leg Room (in)	40.70
Shoulder Room (in)	68.00
Hip Room (in)	67.40

**2003 FORD SUPER DUTY F-350 SRW
X31 SUPERCAB 158" XL 4WD**

Standard Class: 0205

Total Price: \$24,013.00

EQUIPMENT

MECHANICAL

6.8L (415) SOHC SEFI V10 engine
HD 4-speed automatic transmission w/od
Electric shift-on-the-fly transfer case
4.30 axle ratio w/limited slip rear axle
Four wheel drive
Manual locking front hubs
78 amp/hr (750 CCA) maintenance-free battery
130 amp alternator
Trailer tow pkg-inc: 7/4-pin trailer combination connector, trailer brake wiring kit, trailer tow guide
Class V trailer hitch receiver
158" WB
8' pickup box w/tie-down hooks & partitionable/stackable storage
(2) front tow hooks
9,900# GVWR (4700 front/6830 rear), springs (4700 front/6830 rear), axles (5200 front/6830 rear)
Mono-beam front axle
Front stabilizer bar
HD gas shock absorbers
Camper package, inc: heavy service front springs, rear stabilizer bar
(5) LT265/75R16E all-terrain SBR BSW tires
16" x 7.0" 8-hole argent painted steel wheels w/black center ornaments
Full-size spare tire w/argent steel wheel, lock, underframe crank carrier
Speed control
Tilt steering
Pwr steering
Pwr 4-wheel disc brakes w/4-wheel anti-lock system
38 gallon fuel tank

EXTERIOR

Front/rear license plate bracket
Argent painted front/rear step bumper
Black box-rail/tailgate top edge moldings
Valance air dam
Argent grille
Sealed beam halogen headlamps
Pickup box/cargo light
Manual telescoping trailer tow mirrors
Solar tinted glass
Flip-out rear quarter windows
Interval wipers
Black door handles
Dual rear access doors
Tailgate w/black handle
Molded black integrated cab setps

Transfer case/fuel tank skid plates

INTERIOR

HD cloth front 40/20/40 split bench seat w/outboard headrests

Vinyl fold-up rear bench seat

Black vinyl full-floor covering

Color-keyed scuff plates

Black vinyl steering wheel

Instrumentation-inc: tachometer, trip odometer, voltmeter, oil pressure/ coolant temp/fuel gauges, indicator lights

Belt Minder seatbelt-not-buckled chime & flashing warning light

Inside hood release

(4) air registers w/positive shut-off

Electronic AM/FM stereo radio w/cassette-inc: digital clock, (4) speakers

Color-keyed instrument panel-inc: dual cupholders, glove box, ashtray, cigar lighter, storage bin, trash bag hook

Rear door map pockets w/integrated "closed containers only" cupholders

Auxiliary pwr point

Color-keyed molded door trim panel-inc: hard armrest, grab handle, reflector

11.5" day/night mirror

Color-keyed molded cloth headliner

Driver & front passenger grab handles

Front passenger-side roof ride handle

Dual color-keyed cloth sunvisors-inc: driver-side map strap, passenger-side mirror insert

Dual color-keyed coat hooks

Door operated dome lamp w/time delay off

Dual map lights

Grey fabric back panel cover

Air conditioning

SAFETY

4-wheel anti-lock braking system

Driver & front passenger airbags w/passenger-side deactivation switch

Color-keyed safety belts w/front seat adjustable D-rings

Front/rear child seat tethers (on all seats)

Dual-note horn

Daytime running lights

POWERTRAIN

SAE Net Horsepower @ RPM 310 @ 4250

SAE Net Torque @ RPM 425 @ 3250

MILEAGE

EPA Fuel Economy Est (MPG) not reported

Cruising Range (mi) not reported

PAYLOAD/TRAILERING SPECIFICATIONS

WEIGHT INFORMATION	Front	Rear	Total
Gross Axle Weight Rating (lbs)	4,800.00	6,830.00	11,630.00
Curb Weight (lbs)	3,495.00	2,389.00	5,884.00
Total Option Weight (lbs)	240.00	220.00	460.00

2003 FLEET OPERATIONS CLASS STANDARDS

Reserve Axle Capacity (lbs)	not reported	
Gross Vehicle Weight Rating (lbs)		9,900.00
As Spec'd Curb Weight (lbs)		6,344.00
As Spec'd Payload (lbs)		3,556.00
Gross Combined Wt Rating (lbs)		20,000.00

TRAILERING	Max Trailer Wt.	Max Tongue Load
Dead Weight Hitch (lbs)	5,000.00	500.00
Weight Distributing Hitch (lbs)	12,500.00	1,250.00
Fifth Wheel Hitch (lbs)	13,356.00	3,339.00

DIMENSION SPECIFICATIONS**EXTERIOR DIMENSIONS**

Wheelbase (in)	158.00
Length, Overall w/o rear bumper (in)	243.20
Width, Max w/o mirrors (in)	79.90
Height, Overall (in)	80.30
Overhang	
Overhang, Front (in)	37.40
Front Bumper to Back of Cab (in)	139.20
Cab to Axle (in)	56.20
Cab to End of Frame (in)	not reported
Ground to Top of Load Floor (in)	37.40
Ground to Top of Frame (in)	not reported
Frame Width, Rear (in)	not reported
Ground Clearance	
Ground Clearance, Front (in)	not reported
Ground Clearance, Rear (in)	not reported

CARGO AREA DIMENSIONS

Cargo Box Length @ Floor (in)	98.60
Width	
Cargo Box Width @ Top, Rear (in)	64.60
Cargo Box Width @ Floor (in)	not reported
Cargo Box Width @ Wheelhousings (in)	50.90
Cargo Box (Area) Height (in)	20.00
Tailgate Width (in)	65.00
Cargo Volume (ft ³)	77.70
Ext'd Cab Cargo Volume (ft ³)	43.4 w/o Rear Seat

INTERIOR DIMENSIONS

Passenger Capacity	6	
Seating Position	Front	Second
Head Room (in)	41.40	38.50
Leg Room (in)	40.70	32.40
Shoulder Room (in)	68.00	68.00
Hip Room (in)	67.40	67.30

**2003 Ford Super Duty F-350 SRW
W30 Crew Cab 156" XL**

Class Standard: 0210

Total Price: \$21,812.00

EQUIPMENT

MECHANICAL

6.8L (415) SOHC SEFI V10 engine
HD 4-speed automatic transmission w/od
3.73 axle ratio
Rear wheel drive
78 amp/hr (750 CCA) maintenance-free battery
130 amp alternator
Trailer tow pkg-inc: 7/4-pin trailer combination connector, trailer brake wiring kit, trailer tow guide
Class V trailer hitch receiver
156" WB
6-3/4' pickup box w/tie-down hooks & partitionable/stackable storage
(2) front tow hooks
9,900# GVWR (4700 front/6830 rear), springs (4700 front/6830 rear), axles (4850 front/6830 rear)
Twin I-beam front axle
Front stabilizer bar
HD gas shock absorbers
Camper package, inc: heavy service front springs, rear stabilizer bar
(5) LT265/75R16E all-terrain SBR BSW tires
16" x 7.0" 8-hole argent painted steel wheels w/black center ornaments
Full-size spare tire w/argent steel wheel, lock, underframe crank carrier
Speed control
Tilt steering
Pwr steering
Pwr 4-wheel disc brakes w/4-wheel anti-lock system
29 gallon fuel tank

EXTERIOR

Front/rear license plate bracket
Argent painted front/rear step bumper
Black box-rail/tailgate top edge moldings
Valance air dam
Argent grille
Sealed beam halogen headlamps
Pickup box/cargo light
Manual telescoping trailer tow mirrors
Solar tinted glass
Interval wipers
Black door handles
Tailgate w/black handle
Molded black integrated cab steps

INTERIOR

HD cloth front split bench seat w/outboard headrests
Forward-folding rear bench seat
Black vinyl full-floor covering
Color-keyed scuff plates
Black vinyl steering wheel
Instrumentation-inc: tachometer, trip odometer, voltmeter, oil pressure/ coolant temp/fuel gauges, indicator lights
Belt Minder seatbelt-not-buckled chime & flashing warning light
Inside hood release
(4) air registers w/positive shut-off
Electronic AM/FM stereo radio w/cassette-inc: digital clock, (4) speakers
Color-keyed instrument panel-inc: dual cupholders, glove box, ashtray, cigar lighter, storage bin, trash bag hook
Auxiliary pwr point
Color-keyed molded door trim panel-inc: hard armrest, grab handle, reflector
11.5" day/night mirror
Color-keyed molded cloth headliner
Driver & front passenger grab handles
Grab handles mounted over rear doors
Front passenger-side roof ride handle
Rear seating roof ride handles
Dual color-keyed cloth sunvisors-inc: driver-side map strap, passenger-side mirror insert
Dual color-keyed coat hooks
Door operated dome lamp w/time delay off
Dual map lights
Grey fabric back panel cover
Air conditioning

SAFETY

4-wheel anti-lock braking system
Driver & front passenger airbags
Color-keyed safety belts w/front seat adjustable D-rings
Front/rear child seat tethers (on all seats)
Dual-note horn
Daytime running lights

POWERTRAIN

SAE Net Horsepower @ RPM 310 @ 4250
SAE Net Torque @ RPM 425 @ 3250

MILEAGE

EPA Fuel Economy Est (MPG) not reported
Cruising Range (mi) not reported

PAYLOAD/TRAILERING SPECIFICATIONS

WEIGHT INFORMATION	Front	Rear	Total
Gross Axle Weight Rating (lbs)	3,800.00	6,830.00	10,630.00
Curb Weight (lbs)	3,181.00	2,423.00	5,604.00
Total Option Weight (lbs)	271.00	244.00	515.00
Reserve Axle Capacity (lbs)	not reported		

2003 FLEET OPERATIONS CLASS STANDARDS

Gross Vehicle Weight Rating (lbs)	9,900.00
As Spec'd Curb Weight (lbs)	6,119.00
As Spec'd Payload (lbs)	3,781.00
Gross Combined Wt Rating (lbs)	17,000.00

TRAILERING	Max Trailer Wt.	Max Tongue Load
Dead Weight Hitch (lbs)	5,000.00	500.00
Weight Distributing Hitch (lbs)	10,581.00	1,250.00
Fifth Wheel Hitch (lbs)	10,581.00	2,645.25

DIMENSION SPECIFICATIONS**EXTERIOR DIMENSIONS**

Wheelbase (in)	156.20
Length, Overall w/o rear bumper (in)	241.40
Width, Max w/o mirrors (in)	79.90
Height, Overall (in)	77.00
Overhang	
Overhang, Front (in)	37.40
Front Bumper to Back of Cab (in)	153.60
Cab to Axle (in)	40.00
Cab to End of Frame (in)	not reported
Ground to Top of Load Floor (in)	33.30
Ground to Top of Frame (in)	not reported
Frame Width, Rear (in)	not reported
Ground Clearance	
Ground Clearance, Front (in)	not reported
Ground Clearance, Rear (in)	not reported

CARGO AREA DIMENSIONS

Cargo Box Length @ Floor (in)	82.40
Width	
Cargo Box Width @ Top, Rear (in)	64.60
Cargo Box Width @ Floor (in)	not reported
Cargo Box Width @ Wheelhousings (in)	50.90
Cargo Box (Area) Height (in)	20.00
Tailgate Width (in)	65.00
Cargo Volume (ft ³)	64.70
Ext'd Cab Cargo Volume (ft ³)	

INTERIOR DIMENSIONS

Passenger Capacity	6	
Seating Position	Front	Second
Head Room (in)	41.40	41.00
Leg Room (in)	40.70	42.50
Shoulder Room (in)	68.00	68.00
Hip Room (in)	67.40	67.30

2003 Ford Super Duty F-350 SRW
W31 Crew Cab 156" XL 4WD

Standard Class: 0211

Total Price: \$24,910.00

EQUIPMENT

MECHANICAL

6.8 L (415) SOHC SEFI V10 engine
HD 4-speed automatic transmission w/od
Electric shift-on-the-fly transfer case
4.30 axle ratio w/limited slip rear axle
Four wheel drive
Auto-locking front hubs w/manual override
78 amp/hr (750 CCA) maintenance-free battery
130 amp alternator
Trailer tow pkg-inc: 7/4-pin trailer combination connector, trailer brake wiring kit, trailer tow guide
Class V trailer hitch receiver
156" WB
6-3/4' pickup box w/tie-down hooks & partitionable/stackable storage
(2) front tow hooks
9,900# GVWR (4700 front/6830 rear), springs (4700 front/6830 rear), axles (5200 front/6830 rear)
Mono-beam front axle
Front stabilizer bar
HD gas shock absorbers
Camper package, inc: heavy service front springs, rear stabilizer bar
(5) LT265/75R16E all-terrain SBR BSW tires
16" x 7.0" 8-hole argent painted steel wheels w/black center ornaments
Full-size spare tire w/argent steel wheel, lock, underframe crank carrier
Speed control
Tilt steering
Pwr steering
Pwr 4-wheel disc brakes w/4-wheel anti-lock system
29 gallon fuel tank

EXTERIOR

Front/rear license plate bracket
Argent painted front/rear step bumper
Black box-rail/tailgate top edge moldings
Valance air dam
Argent grille
Sealed beam halogen headlamps
Pickup box/cargo light
Manual telescoping trailer tow mirrors
Solar tinted glass
Interval wipers
Black door handles
Tailgate w/black handle
Molded black integrated cab steps
Transfer case/fuel tank skid plates

INTERIOR

Cloth front split bench seat w/outboard headrests
Forward-folding rear bench seat
Black vinyl full-floor covering
Color-keyed scuff plates
Black vinyl steering wheel
Instrumentation-inc: tachometer, trip odometer, voltmeter, oil pressure/ coolant temp/fuel gauges, indicator lights
Belt Minder seatbelt-not-buckled chime & flashing warning light
Inside hood release
(4) air registers w/positive shut-off
Electronic AM/FM stereo radio w/cassette-inc: digital clock, (4) speakers
Color-keyed instrument panel-inc: dual cupholders, glove box, ashtray, cigar lighter, storage bin, trash bag hook
Auxiliary pwr point
Color-keyed molded door trim panel-inc: hard armrest, grab handle, reflector
11.5" day/night mirror
Color-keyed molded cloth headliner
Driver & front passenger grab handles
Grab handles mounted over rear doors
Front passenger-side roof ride handle
Rear seating roof ride handles
Dual color-keyed cloth sunvisors-inc: driver-side map strap, passenger-side mirror insert
Dual color-keyed coat hooks
Door operated dome lamp w/time delay off
Dual map lights
Grey fabric back panel cover
Air conditioning

SAFETY

4-wheel anti-lock braking system
Driver & front passenger airbags
Color-keyed safety belts w/front seat adjustable D-rings
Front/rear child seat tethers (on all seats)
Dual-note horn
Daytime running lights

POWERTRAIN

SAE Net Horsepower @ RPM 310 @ 4250
SAE Net Torque @ RPM 425 @ 3250

PAYLOAD/TRAILERING SPECIFICATIONS

WEIGHT INFORMATION	Front	Rear	Total
Gross Axle Weight Rating (lbs)	4,400.00	6,830.00	11,230.00
Curb Weight (lbs)	3,531.00	2,476.00	6,007.00
Total Option Weight (lbs)	238.00	217.00	455.00
Reserve Axle Capacity (lbs)	not reported		
Gross Vehicle Weight Rating (lbs)			9,900.00
As Spec'd Curb Weight (lbs)			6,462.00
As Spec'd Payload (lbs)			3,438.00
Gross Combined Wt Rating (lbs)			20,000.00

2003 FLEET OPERATIONS CLASS STANDARDS

TRAILERING

	Max Trailer Wt.	Max Tongue Load
Dead Weight Hitch (lbs)	5,000.00	500.00
Weight Distributing Hitch (lbs)	12,500.00	1,250.00
Fifth Wheel Hitch (lbs)	13,238.00	3,309.50

DIMENSION SPECIFICATIONS**EXTERIOR DIMENSIONS**

Wheelbase (in)	156.20
Length, Overall w/o rear bumper (in)	241.40
Width, Max w/o mirrors (in)	79.90
Height, Overall (in)	81.20
Overhang	
Overhang, Front (in)	37.40
Front Bumper to Back of Cab (in)	153.60
Cab to Axle (in)	40.00
Cab to End of Frame (in)	not reported
Ground to Top of Load Floor (in)	37.20
Ground to Top of Frame (in)	not reported
Frame Width, Rear (in)	not reported
Ground Clearance	
Ground Clearance, Front (in)	not reported
Ground Clearance, Rear (in)	not reported

CARGO AREA DIMENSIONS

Cargo Box Length @ Floor (in)	82.40
Width	
Cargo Box Width @ Top, Rear (in)	64.60
Cargo Box Width @ Floor (in)	not reported
Cargo Box Width @ Wheelhousings (in)	50.90
Cargo Box (Area) Height (in)	20.00
Tailgate Width (in)	65.00
Cargo Volume (ft ³)	64.70
Ext'd Cab Cargo Volume (ft ³)	

INTERIOR DIMENSIONS

Passenger Capacity	6	
Seating Position	Front	Second
Head Room (in)	41.40	41.00
Leg Room (in)	40.70	42.50
Shoulder Room (in)	68.00	68.00
Hip Room (in)	67.40	67.30

**2003 Ford F-150
F17 Reg Cab 139" XL**

Standard Class: 0212

Total Price: \$15,177.00

EQUIPMENT

MECHANICAL

4.6L (281) SEFI OHC V8 Triton engine *ULEV compliant*
4-speed automatic transmission w/OD
3.55 axle ratio
Rear wheel drive
58 amp-hour (540 CCA) maintenance-free battery w/battery-saver feature
130 amp alternator
4-pin trailer tow wiring
Class III trailer towing group, inc: class III frame mounted hitch receiver, 7-pin trailer wiring harness, 72 amp-hr battery, HD shock absorbers
Fail-safe cooling feature
8' pickup box w/tie-down hooks
6050# GVWR/1695# maximum payload
3450# capacity twin forged SLA front axle
3800# capacity rear axle
Front coil/rear leaf spring suspension
Gas-pressurized shock absorbers
P235/70R16SL all-season SBR BSW tires
Full-size spare tire
Underframe crank-type spare tire carrier-inc: spare tire lock
16" x 7.0" 5-stud argent grey styled steel wheels w/chrome hubs
Speed control
Tilt steering
Pwr steering
Pwr front/rear anti-lock disc brakes (ABS)
30.0 gallon fuel tank

EXTERIOR

Chrome front/rear step bumper
Chrome headlamp surround & grille w/grey "egg crate" insert
Box-rail/tailgate moldings (2002)
Cargo box light
Dual black manual mirrors
Interval wipers
Black door handles
Removable tailgate w/black handle

INTERIOR

Cloth front 40/60 split bench seat
Black vinyl floor covering
Black polyurethane steering wheel
Instrumentation-inc: speedometer, voltmeter
Gauges-inc: oil pressure, engine coolant temp, fuel
Loose fuel cap warning light (2002)

2003 FLEET OPERATIONS CLASS STANDARDS

Securilock anti-theft ignition
Manual air conditioning
Electronic AM/FM stereo radio w/cassette-inc: digital clock, (4) speakers
Dual instrument panel cup holders
Auxiliary pwr point in instrument panel
Removable instrument panel ash cup
Vinyl upper door trim w/integral armrest, map pocket
Dual A-pillar grab handles
Cloth sunvisors w/LH strap, RH mirror
Lights-inc: dome light w/dual map lights, underhood light
Back panel cover
Air conditioning

EPA FUEL ECONOMY RATINGS

City 16/hwy 20 (4.6L engine/4-speed auto trans) (2002)
Cruising Range (mi) 480.00 600.00

SAFETY

Driver & front passenger airbags w/passenger-side deactivation switch
Pwr front/rear anti-lock disc brakes (ABS)
Outboard height-adjustable shoulder belts
(2) front passenger seat integrated child seat tethers
Daytime running lights

POWERTRAIN

SAE Net Horsepower @ RPM 231 @ 4750
SAE Net Torque @ RPM 293 @ 3500

PAYLOAD/TRAILERING SPECIFICATIONS

WEIGHT INFORMATION	Front	Rear	Total
Gross Axle Weight Rating (lbs)	2,950.00	3,200.00	6,150.00
Curb Weight (lbs)	2,331.00	1,710.00	4,041.00
Total Option Weight (lbs)	173.00	141.00	314.00
Reserve Axle Capacity (lbs)	not reported		
Gross Vehicle Weight Rating (lbs)			6,050.00
As Spec'd Curb Weight (lbs)			4,355.00
As Spec'd Payload (lbs)			1,695.00
Gross Combined Wt Rating (lbs)			11,500.00

TRAILERING	Max Trailer Wt.	Max Tongue Load
Dead Weight Hitch (lbs)	5,000.00	500.00
Weight Distributing Hitch (lbs)	6,845.00	821.40
Fifth Wheel Hitch (lbs)	6,845.00	1,695.00

DIMENSION SPECIFICATIONS

EXTERIOR DIMENSIONS

Wheelbase (in)	138.50
Length, Overall w/o rear bumper (in)	225.50
Width, Max w/o mirrors (in)	78.30
Height, Overall (in)	72.40

2003 FLEET OPERATIONS CLASS STANDARDS

Overhang

Overhang, Front (in)	38.70
Front Bumper to Back of Cab (in)	not reported
Cab to Axle (in)	not reported
Cab to End of Frame (in)	not reported
Ground to Top of Load Floor (in)	32.30
Ground to Top of Frame (in)	not reported
Frame Width, Rear (in)	not reported
Ground Clearance	
Ground Clearance, Front (in)	not reported
Ground Clearance, Rear (in)	not reported

CARGO AREA DIMENSIONS

Cargo Box Length @ Floor (in)	97.00
Width	
Cargo Box Width @ Top, Rear (in)	61.1 @ Belt
Cargo Box Width @ Floor (in)	60.30
Cargo Box Width @ Wheelhousings (in)	50.00
Cargo Box (Area) Height (in)	19.70
Tailgate Width (in)	not reported
Cargo Volume (ft ³)	72.60
Ext'd Cab Cargo Volume (ft ³)	

INTERIOR DIMENSIONS

Passenger Capacity	3
Seating Position	Front
Head Room (in)	40.80
Leg Room (in)	40.90
Shoulder Room (in)	63.80
Hip Room (in)	61.00

**2003 Ford F-150
F18 Reg Cab 139" XL 4WD**

Standard Class: 0213

Total Price: \$18,586.00

EQUIPMENT

MECHANICAL

4.6L (281) SEFI OHC V8 Triton engine *ULEV compliant*
4-speed automatic transmission w/OD
3.55 axle ration w/limited slip differential
Four wheel drive
2-speed manual shift-on-the-fly transfer case w/center disconnect
58 amp-hour (540 CCA) maintenance-free battery w/battery-saver feature
130 amp alternator
4-pin trailer tow wiring
Class III trailer towing group, inc: class III frame-mounted hitch receiver, 7-pin trailer wiring harness, 72 amp-hr battery, HD shock absorbers
Fail-safe cooling feature
8' pickup box w/tie-down hooks
6050# GVWR/1590# maximum payload
3900# capacity twin forged SLA front axle
3800# capacity rear axle
Front torsion bar/rear leaf spring suspension
Gas-pressurized shock absorbers
P265/70R17 all-terrain SBR OWL tires
Full-size spare tire
Underframe crank-type spare tire carrier-inc: spare tire lock
16" x 7.0" 5-stud argnet grey styled steel wheels w/chrome hubs
Pwr steering
Pwr front/rear anti-lock disc brakes (ABS)
30.0 gallon fuel tank

EXTERIOR

Chrome front/rear step bumper
Black wheel opening moldings
Chrome headlamp surround & grille w/grey "egg crate" insert
Box-rail/tailgate moldings (2002)
Cargo box light
Dual black manual mirrors
Interval wipers
Black door handles
Removable tailgate w/black handle
Black tubular-type cab steps
Skid plates, inc: frame front crossmember/transfer case/fuel tank

INTERIOR

Cloth front 60/40 split bench seat
Black vinyl floor covering
Black polyurethane steering wheel
Instrumentation-inc: speedometer, voltmeter

2003 FLEET OPERATIONS CLASS STANDARDS

Gauges-inc: oil pressure, engine coolant temp, fuel
Loose fuel cap warning light (2002)
Securilock anti-theft ignition
Manual air conditioning
Electronic AM/FM stereo radio w/cassette-inc: digital clock, (4) speakers
Dual instrument panel cup holders
Auxiliary pwr point in instrument panel
Removable instrument panel ash cup
Vinyl upper door trim w/integral armrest, map pocket
Dual A-pillar grab handles
Cloth sunvisors w/LH strap, RH mirror
Lights-inc: dome light w/dual map lights, underhood light
Back panel cover
Air conditioning

EPA FUEL ECONOMY RATINGS

City 15/hwy 18 (4.6L engine/4-speed auto trans) (2002)
Cruising Range (mi) 450.00 540.00

SAFETY

Driver & front passenger airbags w/passenger-side deactivation switch
Pwr front/rear anti-lock disc brakes (ABS)
Outboard height-adjustable shoulder belts
(2) front passenger seat integrated child seat tethers
Daytime running lights

POWERTRAIN

SAE Net Horsepower @ RPM 231 @ 4750
SAE Net Torque @ RPM 293 @ 3500

PAYLOAD/TRAILERING SPECIFICATIONS

WEIGHT INFORMATION	Front	Rear	Total
Gross Axle Weight Rating (lbs)	3,660.00	3,550.00	7,210.00
Curb Weight (lbs)	2,599.00	1,793.00	4,392.00
Total Option Weight (lbs)	227.00	221.00	448.00
Reserve Axle Capacity (lbs)	not reported		
Gross Vehicle Weight Rating (lbs)			6,250.00
As Spec'd Curb Weight (lbs)			4,840.00
As Spec'd Payload (lbs)			1,410.00
Gross Combined Wt Rating (lbs)			11,000.00

TRAILERING	Max Trailer Wt.	Max Tongue Load
Dead Weight Hitch (lbs)	5,000.00	500.00
Weight Distributing Hitch (lbs)	5,860.00	703.20
Fifth Wheel Hitch (lbs)	5,860.00	1,410.00

DIMENSION SPECIFICATIONS**EXTERIOR DIMENSIONS**

Wheelbase (in)	138.80
Length, Overall w/o rear bumper (in)	225.80
Width, Max w/o mirrors (in)	79.30
Height, Overall (in)	75.10
Overhang	
Overhang, Front (in)	38.70
Front Bumper to Back of Cab (in)	not reported
Cab to Axle (in)	not reported
Cab to End of Frame (in)	not reported
Ground to Top of Load Floor (in)	34.90
Ground to Top of Frame (in)	not reported
Frame Width, Rear (in)	not reported
Ground Clearance	
Ground Clearance, Front (in)	not reported
Ground Clearance, Rear (in)	not reported

CARGO AREA DIMENSIONS

Cargo Box Length @ Floor (in)	97.00
Width	
Cargo Box Width @ Top, Rear (in)	61.1 @ Belt
Cargo Box Width @ Floor (in)	60.30
Cargo Box Width @ Wheelhousings (in)	50.00
Cargo Box (Area) Height (in)	19.70
Tailgate Width (in)	not reported
Cargo Volume (ft ³)	72.60
Ext'd Cab Cargo Volume (ft ³)	

INTERIOR DIMENSIONS

Passenger Capacity	3
Seating Position	Front
Head Room (in)	40.80
Leg Room (in)	40.90
Shoulder Room (in)	63.80
Hip Room (in)	61.00

**2003 Ford F-150
X17 Supercab 157" XL**

Standard Class: 0214

Total Price: \$18,059.00

EQUIPMENT

MECHANICAL

5.4L (330) SEFI OHC V8 "Triton" engine
4-speed automatic transmission w/OD
3.55 axle ratio
Rear wheel drive
58 amp-hour (540 CCA) maintenance-free battery w/battery-saver feature
130 amp alternator
4-pin trailer tow wiring
Class III trailer towing group, inc: class III frame-mounted hitch receiver, 7-pin trailer wiring harness, 72 amp-hr battery, HD shock absorbers
Fail-safe cooling feature
8' pickup box w/tie-down hooks
6300# GVWR/1630# maximum payload
3450# capacity twin forged SLA front axle
3800# capacity rear axle
Front coil/rear leaf spring suspension
Gas-pressurized shock absorbers
P235/70R16SL all-season SBR BSW tires
Full-size spare tire
Underframe crank-type spare tire carrier-inc: spare tire lock
16" x 7.0" 5-stud argent grey styled steel wheels w/chrome hubs
Speed Control
Tilt steering
Pwr steering
Pwr front/rear anti-lock disc brakes (ABS)
30.0 gallon fuel tank

EXTERIOR

Chrome front/rear step bumper
Chrome headlamp surround & grille w/grey "egg crate" insert
Box-rail/tailgate moldings (2002)
Cargo box light
Dual black manual mirrors
Interval wipers
Black door handles
Dual rear access doors
Removable tailgate w/black handle

INTERIOR

Cloth front 60/40 split bench seat
Matching flip-up rear split bench seat
Black vinyl floor covering
Black polyurethane steering wheel
Instrumentation-inc: speedometer, voltmeter

2003 FLEET OPERATIONS CLASS STANDARDS

Gauges-inc: oil pressure, engine coolant temp, fuel
Loose fuel cap warning light (2002)
Securilock anti-theft ignition
Manual air conditioning
Electronic AM/FM stereo radio w/cassette-inc: digital clock, (4) speakers
Dual instrument panel cup holders
Auxiliary pwr point in instrument panel
Removable instrument panel ash cup
Vinyl upper door trim w/integral armrest, map pocket
Dual A-pillar grab handles
Cloth sunvisors w/LH strap, RH mirror
Lights-inc: dome light w/dual map lights, underhood light

EPA FUEL ECONOMY RATINGS

City 15/hwy 19 (5.4L engine/4-speed auto trans) (2002)
Cruising Range (mi) 450.00 570.00

SAFETY

Driver & front passenger airbags w/passenger-side deactivation switch
Pwr front/rear anti-lock disc brakes (ABS)
Outboard height-adjustable shoulder belts
(2) front passenger seat integrated child seat tethers
(3) rear seat integrated child seat tethers (LATCH)
Daytime running lights

POWERTRAIN

SAE Net Horsepower @ RPM 260 @ 4500
SAE Net Torque @ RPM 350 @ 2500

PAYLOAD/TRAILERING SPECIFICATIONS

WEIGHT INFORMATION	Front	Rear	Total
Gross Axle Weight Rating (lbs)	3,465.00	3,500.00	6,965.00
Curb Weight (lbs)	2,520.00	1,861.00	4,381.00
Total Option Weight (lbs)	283.00	415.00	698.00
Reserve Axle Capacity (lbs)	not reported		
Gross Vehicle Weight Rating (lbs)			6,300.00
As Spec'd Curb Weight (lbs)			5,079.00
As Spec'd Payload (lbs)			1,221.00
Gross Combined Wt Rating (lbs)			13,000.00

TRAILERING	Max Trailer Wt.	Max Tongue Load
Dead Weight Hitch (lbs)	5,000.00	500.00
Weight Distributing Hitch (lbs)	7,621.00	914.52
Fifth Wheel Hitch (lbs)	7,621.00	1,221.00

DIMENSION SPECIFICATIONS

EXTERIOR DIMENSIONS

Wheelbase (in)	157.10
Length, Overall w/o rear bumper (in)	244.10
Width, Max w/o mirrors (in)	79.30
Height, Overall (in)	72.50
Overhang	
Overhang, Front (in)	38.70
Front Bumper to Back of Cab (in)	not reported
Cab to Axle (in)	not reported
Cab to End of Frame (in)	not reported
Ground to Top of Load Floor (in)	32.20
Ground to Top of Frame (in)	not reported
Frame Width, Rear (in)	not reported
Ground Clearance	
Ground Clearance, Front (in)	not reported
Ground Clearance, Rear (in)	not reported

CARGO AREA DIMENSIONS

Cargo Box Length @ Floor (in)	97.00
Width	
Cargo Box Width @ Top, Rear (in)	61.1 @ Belt
Cargo Box Width @ Floor (in)	60.30
Cargo Box Width @ Wheelhousings (in)	50.00
Cargo Box (Area) Height (in)	19.70
Tailgate Width (in)	not reported
Cargo Volume (ft ³)	72.60
Ext'd Cab Cargo Volume (ft ³)	

INTERIOR DIMENSIONS

Passenger Capacity	6	
Seating Position	Front	Second
Head Room (in)	40.80	37.80
Leg Room (in)	40.90	32.20
Shoulder Room (in)	63.80	63.80
Hip Room (in)	61.00	63.20

**2003 Ford F-150
X18 Supercab 157" XL 4WD**

Standard Class: 0215

Total Price: \$21,263.00

EQUIPMENT

MECHANICAL

5.4L (330) SEFI OHC V8 "Triton" engine
4-speed automatic transmission w/OD and aux trans oil cooler
3.55 axle ratio w/limited slip differential
Four wheel drive
2-speed manual shift-on-the-fly transfer case w/center disconnect
58 amp-hour (540 CCA) maintenance-free battery w/battery-saver feature
130 amp alternator
4-pin trailer tow wiring
Class III trailer towing group, inc: class III frame-mounted hitch receiver, 7-pin trailer wiring harness, 72 amp-hr battery, HD shock absorbers
Fail-safe cooling feature
8' pickup box w/tie-down hooks
6500# GVWR/1515# maximum payload
3900# capacity twin forged SLA front axle
3800# capacity rear axle
Front torsion bar/rear leaf spring suspension
Gas-pressurized shock absorbers
P265/70R17 all-terrain SBR OWL tires
Full-size spare tire
Underframe crank-type spare tire carrier-inc: spare tire lock
16" x 7.0" 5-stud argent grey styled steel wheels w/chrome hubs
Speed control
Tilt steering
Pwr steering
Pwr front/rear anti-lock disc brakes (ABS)
30.0 gallon fuel tank

EXTERIOR

Chrome front/rear step bumper
Black wheel opening moldings
Chrome headlamp surround & grille w/grey "egg crate" insert
Box-rail/tailgate moldings (2002)
Cargo box light
Dual black manual mirrors
Interval wipers
Black door handles
Dual rear access doors
Removable tailgate w/black handle
Black tubular-type cab steps
Skid plates, inc: frame front crossmember/transfer case/fuel tank

INTERIOR

Cloth front 60/40 split bench seat
Matching flip-up rear split bench seat
Black vinyl floor covering
Black polyurethane steering wheel
Instrumentation-inc: speedometer, voltmeter
Gauges-inc: oil pressure, engine coolant temp, fuel
Loose fuel cap warning light (2002)
Securilock anti-theft ignition
Manual air conditioning
Electronic AM/FM stereo radio w/cassette-inc: digital clock, (4) speakers
Dual instrument panel cup holders
Auxiliary pwr point in instrument panel
Removable instrument panel ash cup
Vinyl upper door trim w/integral armrest, map pocket
Dual A-pillar grab handles
Cloth sunvisors w/LH strap, RH mirror
Lights-inc: dome light w/dual map lights, underhood light

EPA FUEL ECONOMY RATINGS

City 14/hwy 17 (5.4L engine/4-speed auto trans) (2002)
Cruising Range (mi) 450.00 510.00

SAFETY

Driver & front passenger airbags w/passenger-side deactivation switch
Pwr front/rear anti-lock disc brakes (ABS)
Outboard height-adjustable shoulder belts
(2) front passenger seat integrated child seat tethers
(3) rear seat integrated child seat tethers (LATCH)
Daytime running lights

POWERTRAIN

SAE Net Horsepower @ RPM 260 @ 4500
SAE Net Torque @ RPM 350 @ 2500

PAYLOAD/TRAILERING SPECIFICATIONS

WEIGHT INFORMATION	Front	Rear	Total
Gross Axle Weight Rating (lbs)	3,680.00	3,550.00	7,230.00
Curb Weight (lbs)	2,842.00	1,892.00	4,734.00
Total Option Weight (lbs)	290.00	436.00	726.00
Reserve Axle Capacity (lbs)	not reported		
Gross Vehicle Weight Rating (lbs)			6,500.00
As Spec'd Curb Weight (lbs)			5,460.00
As Spec'd Payload (lbs)			1,040.00
Gross Combined Wt Rating (lbs)			12,500.00

2003 FLEET OPERATIONS CLASS STANDARDS

TRAILERING

	Max Trailer Wt.	Max Tongue Load
Dead Weight Hitch (lbs)	5,000.00	500.00
Weight Distributing Hitch (lbs)	6,740.00	808.80
Fifth Wheel Hitch (lbs)	6,740.00	1,040.00

DIMENSION SPECIFICATIONS**EXTERIOR DIMENSIONS**

Wheelbase (in)	157.40
Length, Overall w/o rear bumper (in)	244.40
Width, Max w/o mirrors (in)	79.50
Height, Overall (in)	75.10
Overhang	
Overhang, Front (in)	38.70
Front Bumper to Back of Cab (in)	not reported
Cab to Axle (in)	not reported
Cab to End of Frame (in)	not reported
Ground to Top of Load Floor (in)	34.80
Ground to Top of Frame (in)	not reported
Frame Width, Rear (in)	not reported
Ground Clearance	
Ground Clearance, Front (in)	not reported
Ground Clearance, Rear (in)	not reported

CARGO AREA DIMENSIONS

Cargo Box Length @ Floor (in)	97.00
Width	
Cargo Box Width @ Top, Rear (in)	61.1 @ Belt
Cargo Box Width @ Floor (in)	60.30
Cargo Box Width @ Wheelhousings (in)	50.00
Cargo Box (Area) Height (in)	19.70
Tailgate Width (in)	not reported
Cargo Volume (ft ³)	72.60
Ext'd Cab Cargo Volume (ft ³)	

INTERIOR DIMENSIONS

Passenger Capacity	6	
Seating Position	Front	Second
Head Room (in)	40.80	37.80
Leg Room (in)	40.90	32.20
Shoulder Room (in)	63.80	63.80
Hip Room (in)	61.00	63.20

**2003 Ford Super Duty F-250
F20 Reg Cab 137" XL**

Standard Class: 0216

Total Price: \$17,831.00

EQUIPMENT

MECHANICAL

6.8L (415) SOHC SEFI V10 engine
4-speed automatic transmission w/OD
3.73 axle ratio
Rear wheel drive
78 amp/hr (750 CCA) maintenance-free battery
130 amp alternator
Trailer tow pkg-inc: 7/4 pin combination connector, trailer brake wiring kit, trailer tow guide
Class V trailer hitch receiver
137" WB
8' pickup box w/tie-down hooks & partitionable/stackable storage
(2) front tow hooks
8,800# GVWR (4400 front/6084 rear), springs (4400 front/6084 rear), axles (4850 front/6084 rear)
Twin I-beam front axle
Front stabilizer bar
HD gas shock absorbers
(5) LT235/85R16E SBR BSW all-terrain tires
16" x 7.0" 8-hole styled steel wheels w/black center ornaments
Full-size spare tire w/argent steel wheel, lock, underframe crank carrier
Speed control
Tilt steering
Pwr steering
Pwr 4-wheel disc brakes w/4-wheel anti-lock braking system
38 gallon fuel tank

EXTERIOR

Front/rear license plate bracket
Argent painted front/rear step bumper
Black box-rail/tailgate top-edge moldings
Valance air dam
Argent grille
Sealed beam halogen headlamps
Pickup box/cargo light
Black door handles
Manual telescoping trailer tow mirrors
Solar tinted glass
Interval wipers
Removable locking tailgate w/black handle

INTERIOR

HD cloth front 40/20/40 split bench seat w/outboard headrests
Black vinyl full-floor covering
Color-keyed scuff plates
Black vinyl steering wheel

2003 FLEET OPERATIONS CLASS STANDARDS

Instrumentation-inc: tachometer, trip odometer, voltmeter, oil pressure/ coolant temp/fuel gauges, indicator lights
Belt Minder seatbelt-not-buckled chime & flashing warning light
Inside hood release
Air conditioning
(4) air registers w/positive shut-off
Electronic AM/FM stereo radio w/cassette-inc: digital clock, (4) speakers
Color-keyed instrument panel w/dual cupholders/glove box/ashtray/cigar lighter
Auxiliary pwr point
Color-keyed molded door trim panel-inc: hard armrest, grab handle, reflector
11.5" day/night mirror
Color-keyed molded cloth headliner
Driver & passenger grab handles
Front passenger-side roof ride handle
Dual color-keyed cloth sunvisors-inc: driver-side map strap, passenger-side mirror insert
Dual color-keyed coat hooks
Front door operated dome lamp w/time delay off
Grey fabric back panel cover

SAFETY

4-wheel anti-lock braking system
Driver & front passenger airbags w/passenger-side deactivation switch
Color-keyed safety belts w/adjustable D-rings
Child seat tethers on all seats
Dual-note horn
Daytime running lights

POWERTRAIN

SAE Net Horsepower @ RPM 310 @ 4250
SAE Net Torque @ RPM 425 @ 3250

MILEAGE

EPA Fuel Economy Est (MPG) not reported
Cruising Range (mi) not reported

PAYLOAD/TRAILERING SPECIFICATIONS

WEIGHT INFORMATION	Front	Rear	Total
Gross Axle Weight Rating (lbs)	3,350.00	6,084.00	9,434.00
Curb Weight (lbs)	2,880.00	2,191.00	5,071.00
Total Option Weight (lbs)	202.00	107.00	309.00
Reserve Axle Capacity (lbs)	not reported		
Gross Vehicle Weight Rating (lbs)			8,800.00
As Spec'd Curb Weight (lbs)			5,380.00
As Spec'd Payload (lbs)			3,420.00
Gross Combined Wt Rating (lbs)			17,000.00

TRAILERING	Max Trailer Wt.	Max Tongue Load
Dead Weight Hitch (lbs)	5,000.00	500.00
Weight Distributing Hitch (lbs)	11,320.00	1,250.00
Fifth Wheel Hitch (lbs)	11,320.00	2,830.00

DIMENSION SPECIFICATIONS**EXTERIOR DIMENSIONS**

Wheelbase (in)	137.00
Length, Overall w/o rear bumper (in)	222.20
Width, Max w/o mirrors (in)	79.90
Height, Overall (in)	76.20
Overhang	
Overhang, Front (in)	37.40
Front Bumper to Back of Cab (in)	118.20
Cab to Axle (in)	56.20
Cab to End of Frame (in)	not reported
Ground to Top of Load Floor (in)	34.00
Ground to Top of Frame (in)	not reported
Frame Width, Rear (in)	not reported
Ground Clearance	
Ground Clearance, Front (in)	not reported
Ground Clearance, Rear (in)	not reported

CARGO AREA DIMENSIONS

Cargo Box Length @ Floor (in)	98.60
Width	
Cargo Box Width @ Top, Rear (in)	64.60
Cargo Box Width @ Floor (in)	not reported
Cargo Box Width @ Wheelhousings (in)	50.90
Cargo Box (Area) Height (in)	20.00
Tailgate Width (in)	65.00
Cargo Volume (ft ³)	77.70
Ext'd Cab Cargo Volume (ft ³)	

INTERIOR DIMENSIONS

Passenger Capacity	3
Seating Position	Front
Head Room (in)	41.30
Leg Room (in)	40.70
Shoulder Room (in)	68.00
Hip Room (in)	67.40

**2003 Ford Super Duty F-250
F21 Reg Cab 137" XL 4WD**

Standard Class: 0217

Total Price: \$21,157.00

EQUIPMENT

MECHANICAL

6.8L (415) SOHC SEFI V10 engine
4-speed automatic transmission w/OD
Electric shift-on-the-fly transfer case
3.73 axle ratio w/limited slip rear axle
Four wheel drive
Auto-locking front hubs with manual override
78 amp/hr (750 CCA) maintenance-free battery
130 amp alternator
Trailer tow pkg-inc: 7/4 pin combination connector, trailer brake wiring kit, trailer tow guide
Class V trailer hitch receiver
137" WB
8' pickup box w/tie-down hooks & partitionable/stackable storage
(2) front tow hooks
8,800# GVWR (4700 front/6084 rear), springs (4700 front/6084 rear), axles (5200 front/6084 rear)
Mono-beam front axle
Front stabilizer bar
HD gas shock absorbers
(5) LT235/85R16E all-terrain SBR BSW tires
16" x 7.0" 8-hole styled steel wheels w/black center ornaments
Full-size spare tire w/argent steel wheel, lock, underframe crank carrier
Speed control
Tilt steering
Pwr steering
Pwr 4-wheel disc brakes w/4-wheel anti-lock braking system
38 gallon fuel tank

EXTERIOR

Front/rear license plate bracket
Argent painted front/rear step bumper
Black box-rail/tailgate top-edge moldings
Valance air dam
Argent grille
Sealed beam halogen headlamps
Pickup box/cargo light
Black door handles
Manual telescoping trailer tow mirrors
Solar tinted glass
Interval wipers
Removable locking tailgate w/black handle
Skid plate package, inc: transfer case and fuel tank
Molded black integrated cab steps

INTERIOR

HD cloth front 40/20/40 split bench seat w/outboard headrests
Black vinyl full-floor covering
Color-keyed scuff plates
Black vinyl steering wheel
Instrumentation-inc: tachometer, trip odometer, voltmeter, oil pressure/ coolant temp/fuel gauges, indicator lights
Belt Minder seatbelt-not-buckled chime & flashing warning light
Inside hood release
Air conditioning
(4) air registers w/positive shut-off
Electronic AM/FM stereo radio w/cassette-inc: digital clock, (4) speakers
Color-keyed instrument panel w/dual cupholders/glove box/ashtray/cigar lighter
Auxiliary pwr point
Color-keyed molded door trim panel-inc: hard armrest, grab handle, reflector
11.5" day/night mirror
Color-keyed molded cloth headliner
Driver & passenger grab handles
Front passenger-side roof ride handle
Dual color-keyed cloth sunvisors-inc: driver-side map strap, passenger-side mirror insert
Dual color-keyed coat hooks
Front door operated dome lamp w/time delay off
Grey fabric back panel cover

SAFETY

4-wheel anti-lock braking system
Driver & front passenger airbags w/passenger-side deactivation switch
Color-keyed safety belts w/adjustable D-rings
Child seat tethers on all seats
Dual-note horn
Daytime running lights

POWERTRAIN

SAE Net Horsepower @ RPM 310 @ 4250
SAE Net Torque @ RPM 425 @ 3250

MILEAGE

EPA Fuel Economy Est (MPG) not reported
Cruising Range (mi) not reported

PAYLOAD/TRAILERING SPECIFICATIONS

WEIGHT INFORMATION	Front	Rear	Total
Gross Axle Weight Rating (lbs)	4,000.00	6,084.00	10,084.00
Curb Weight (lbs)	3,340.00	2,263.00	5,603.00
Total Option Weight (lbs)	207.00	116.00	323.00
Reserve Axle Capacity (lbs)	not reported		
Gross Vehicle Weight Rating (lbs)			8,800.00
As Spec'd Curb Weight (lbs)			5,926.00
As Spec'd Payload (lbs)			2,874.00
Gross Combined Wt Rating (lbs)			17,000.00

2003 FLEET OPERATIONS CLASS STANDARDS

TRAILERING

	Max Trailer Wt.	Max Tongue Load
Dead Weight Hitch (lbs)	5,000.00	500.00
Weight Distributing Hitch (lbs)	10,774.00	1,250.00
Fifth Wheel Hitch (lbs)	10,774.00	2,693.50

DIMENSION SPECIFICATIONS**EXTERIOR DIMENSIONS**

Wheelbase (in)	137.00
Length, Overall w/o rear bumper (in)	222.20
Width, Max w/o mirrors (in)	79.90
Height, Overall (in)	79.70
Overhang	
Overhang, Front (in)	37.40
Front Bumper to Back of Cab (in)	118.20
Cab to Axle (in)	56.20
Cab to End of Frame (in)	not reported
Ground to Top of Load Floor (in)	37.80
Ground to Top of Frame (in)	not reported
Frame Width, Rear (in)	not reported
Ground Clearance	
Ground Clearance, Front (in)	not reported
Ground Clearance, Rear (in)	not reported

CARGO AREA DIMENSIONS

Cargo Box Length @ Floor (in)	98.60
Width	
Cargo Box Width @ Top, Rear (in)	64.60
Cargo Box Width @ Floor (in)	not reported
Cargo Box Width @ Wheelhousings (in)	50.90
Cargo Box (Area) Height (in)	20.00
Tailgate Width (in)	65.00
Cargo Volume (ft ³)	77.70
Ext'd Cab Cargo Volume (ft ³)	

INTERIOR DIMENSIONS

Passenger Capacity	3
Seating Position	Front
Head Room (in)	41.30
Leg Room (in)	40.70
Shoulder Room (in)	68.00
Hip Room (in)	67.40

**2003 Ford Super Duty F-250
X20 Supercab 158" XL**

Standard Class: 0218

Total Price: \$19,810.00

EQUIPMENT

MECHANICAL

6.8L (415) SOHC SEFI V10 engine
4-speed automatic transmission w/OD
3.73 axle ratio
Rear wheel drive
78 amp/hr (750 CCA) maintenance-free battery
130 amp alternator
Trailer tow pkg-inc: 7/4 pin combination connector, trailer brake wiring kit, trailer tow guide
Class V trailer hitch receiver
158" WB
8' pickup box w/tie-down hooks & partitionable/stackable storage
(2) front tow hooks
8,800# GVWR (4400 front/6084 rear), springs (4400 front/6084 rear), axles (4850 front/6084 rear)
Twin I-beam front axle
Front stabilizer bar
HD gas shock absorbers
(5) LT235/85R16E all-terrain SBR BSW tires
16" x 7.0" 8-hole styled steel wheels w/black center ornaments
Full-size spare tire w/argent steel wheel, lock, underframe crank carrier
Speed control
Tilt steering
Pwr steering
Pwr 4-wheel disc brakes w/4-wheel anti-lock braking system
38 gallon fuel tank

EXTERIOR

Front/rear license plate bracket
Argent painted front/rear step bumper
Black box-rail/tailgate top-edge moldings
Valance air dam
Argent grille
Sealed beam halogen headlamps
Pickup box/cargo light
Black door handles
Manual telescoping trailer tow mirrors
Solar tinted glass
Flip-out rear quarter windows
Interval wipers
Dual rear access doors
Removable locking tailgate w/black handle

INTERIOR

HD cloth front 40/20/04 split bench seat w/outboard headrests
Vinyl fold-up rear bench seat
Black vinyl full-floor covering
Color-keyed scuff plates
Black vinyl steering wheel
Instrumentation-inc: tachometer, trip odometer, voltmeter, oil pressure/ coolant temp/fuel gauges, indicator lights
Belt Minder seatbelt-not-buckled chime & flashing warning light
Inside hood release
Air conditioning
(4) air registers w/positive shut-off
Electronic AM/FM stereo radio w/cassette-inc: digital clock, (4) speakers
Color-keyed instrument panel w/dual cupholders/glove box/ashtray/cigar lighter
Rear door map pockets w/integrated "closed containers only" cupholders
Auxiliary pwr point
Color-keyed molded door trim panel-inc: hard armrest, grab handle, reflector
11.5" day/night mirror
Color-keyed molded cloth headliner
Driver & passenger grab handles
Front passenger-side roof ride handle
Dual color-keyed cloth sunvisors-inc: driver-side map strap, passenger-side mirror insert
Dual color-keyed coat hooks
Front door operated dome lamp w/time delay off
Grey fabric back panel cover

SAFETY

4-wheel anti-lock braking system
Driver & front passenger airbags w/passenger-side deactivation switch
Color-keyed safety belts w/front seat adjustable D-rings
Front/rear child seat tethers (on all seats)
Dual-note horn
Daytime running lights

POWERTRAIN

SAE Net Horsepower @ RPM 310 @ 4250
SAE Net Torque @ RPM 425 @ 3250

MILEAGE

EPA Fuel Economy Est (MPG) not reported
Cruising Range (mi) not reported

PAYLOAD/TRAILERING SPECIFICATIONS

WEIGHT INFORMATION	Front	Rear	Total
Gross Axle Weight Rating (lbs)	3,650.00	6,084.00	9,734.00
Curb Weight (lbs)	3,112.00	2,343.00	5,455.00
Total Option Weight (lbs)	209.00	106.00	315.00
Reserve Axle Capacity (lbs)	not reported		
Gross Vehicle Weight Rating (lbs)			8,800.00
As Spec'd Curb Weight (lbs)			5,770.00

2003 FLEET OPERATIONS CLASS STANDARDS

As Spec'd Payload (lbs)	3,030.00
Gross Combined Wt Rating (lbs)	17,000.00

TRAILERING	Max Trailer Wt.	Max Tongue Load
Dead Weight Hitch (lbs)	5,000.00	500.00
Weight Distributing Hitch (lbs)	10,930.00	1,250.00
Fifth Wheel Hitch (lbs)	10,930.00	2,732.50

DIMENSION SPECIFICATIONS**EXTERIOR DIMENSIONS**

Wheelbase (in)	158.00
Length, Overall w/o rear bumper (in)	243.20
Width, Max w/o mirrors (in)	79.90
Height, Overall (in)	76.50
Overhang	
Overhang, Front (in)	37.40
Front Bumper to Back of Cab (in)	139.20
Cab to Axle (in)	56.20
Cab to End of Frame (in)	not reported
Ground to Top of Load Floor (in)	33.60
Ground to Top of Frame (in)	not reported
Frame Width, Rear (in)	not reported
Ground Clearance	
Ground Clearance, Front (in)	not reported
Ground Clearance, Rear (in)	not reported

CARGO AREA DIMENSIONS

Cargo Box Length @ Floor (in)	98.60
Width	
Cargo Box Width @ Top, Rear (in)	64.60
Cargo Box Width @ Floor (in)	not reported
Cargo Box Width @ Wheelhousings (in)	50.90
Cargo Box (Area) Height (in)	20.00
Tailgate Width (in)	65.00
Cargo Volume (ft ³)	77.70
Ext'd Cab Cargo Volume (ft ³)	43.4 w/o Rear Seat

INTERIOR DIMENSIONS

Passenger Capacity	6	
Seating Position	Front	Second
Head Room (in)	41.40	38.50
Leg Room (in)	40.70	32.40
Shoulder Room (in)	68.00	68.00
Hip Room (in)	67.40	67.30

**2003 Ford Super Duty F-250
X21 Supercab 158" XL 4WD**

Standard Class: 0219

Total Price: \$23,226.00

EQUIPMENT

MECHANICAL

6.8L (415) SOHC SEFI V10 engine
4-speed automatic transmission w/OD
Electric shift-on-the-fly transfer case
4.30 axle ratio w/limited slip rear axle
Four wheel drive
Auto-locking front hubs w/manual override
78 amp/hr (750 CCA) maintenance-free battery
130 amp alternator
Trailer tow pkg-inc: 7/4 pin combination connector, trailer brake wiring kit, trailer tow guide
Class V trailer hitch receiver
158" WB
8' pickup box w/tie-down hooks & partitionable/stackable storage
(2) front tow hooks
8,800# GVWR (4700 front/6084 rear), springs (4700 front/6084 rear), axles (5200 front/6084 rear)
Mono-beam front axle
Front stabilizer bar
HD gas shock absorbers
(5) LT235/85R16E all-terrain SBR BSW tires
16" x 7.0" 8-hole styled steel wheels w/black center ornaments
Full-size spare tire w/argent steel wheel, lock, underframe crank carrier
Speed control
Tilt steering
Pwr steering
Pwr 4-wheel disc brakes w/4-wheel anti-lock braking system
38 gallon fuel tank

EXTERIOR

Front/rear license plate bracket
Argent painted front/rear step bumper
Black box-rail/tailgate top-edge moldings
Valance air dam
Argent grille
Sealed beam halogen headlamps
Pickup box/cargo light
Black door handles
Manual telescoping trailer tow mirrors
Solar tinted glass
Flip-out rear quarter windows
Interval wipers
Dual rear access doors
Removable locking tailgate w/black handle
Skid plate package, inc: transfer case and fuel tank
Molded black integrated cab steps

INTERIOR

HD cloth front 40/20/40 split bench seat w/outboard headrests
Vinyl fold-up rear bench seat
Black vinyl full-floor covering
Color-keyed scuff plates
Black vinyl steering wheel
Instrumentation-inc: tachometer, trip odometer, voltmeter, oil pressure/ coolant temp/fuel gauges, indicator lights
Belt Minder seatbelt-not-buckled chime & flashing warning light
Inside hood release
Air conditioning
(4) air registers w/positive shut-off
Electronic AM/FM stereo radio w/cassette-inc: digital clock, (4) speakers
Color-keyed instrument panel w/dual cupholders/glove box/ashtray/cigar lighter
Rear door map pockets w/integrated "closed containers only" cupholders
Auxiliary pwr point
Color-keyed molded door trim panel-inc: hard armrest, grab handle, reflector
11.5" day/night mirror
Color-keyed molded cloth headliner
Driver & passenger grab handles
Front passenger-side roof ride handle
Dual color-keyed cloth sunvisors-inc: driver-side map strap, passenger-side mirror insert
Dual color-keyed coat hooks
Front door operated dome lamp w/time delay off
Grey fabric back panel cover

SAFETY

4-wheel anti-lock braking system
Driver & front passenger airbags w/passenger-side deactivation switch
Color-keyed safety belts w/front seat adjustable D-rings
Front/rear child seat tethers (on all seats)
Dual-note horn
Daytime running lights

POWERTRAIN

SAE Net Horsepower @ RPM 310 @ 4250
SAE Net Torque @ RPM 425 @ 3250

MILEAGE

EPA Fuel Economy Est (MPG) not reported
Cruising Range (mi) not reported

PAYLOAD/TRAILERING SPECIFICATIONS

WEIGHT INFORMATION	Front	Rear	Total
Gross Axle Weight Rating (lbs)	4,400.00	6,084.00	10,484.00
Curb Weight (lbs)	3,502.00	2,394.00	5,896.00
Total Option Weight (lbs)	209.00	106.00	315.00
Reserve Axle Capacity (lbs)	not reported		
Gross Vehicle Weight Rating (lbs)			8,800.00
As Spec'd Curb Weight (lbs)			6,211.00

2003 FLEET OPERATIONS CLASS STANDARDS

As Spec'd Payload (lbs)	2,589.00
Gross Combined Wt Rating (lbs)	20,000.00

TRAILERING	Max Trailer Wt.	Max Tongue Load
Dead Weight Hitch (lbs)	5,000.00	500.00
Weight Distributing Hitch (lbs)	12,500.00	1,250.00
Fifth Wheel Hitch (lbs)	13,489.00	2,589.00

DIMENSION SPECIFICATIONS**EXTERIOR DIMENSIONS**

Wheelbase (in)	158.00
Length, Overall w/o rear bumper (in)	243.20
Width, Max w/o mirrors (in)	79.90
Height, Overall (in)	80.20
Overhang	
Overhang, Front (in)	37.40
Front Bumper to Back of Cab (in)	139.20
Cab to Axle (in)	56.20
Cab to End of Frame (in)	not reported
Ground to Top of Load Floor (in)	37.40
Ground to Top of Frame (in)	not reported
Frame Width, Rear (in)	not reported
Ground Clearance	
Ground Clearance, Front (in)	not reported
Ground Clearance, Rear (in)	not reported

CARGO AREA DIMENSIONS

Cargo Box Length @ Floor (in)	98.60
Width	
Cargo Box Width @ Top, Rear (in)	64.60
Cargo Box Width @ Floor (in)	not reported
Cargo Box Width @ Wheelhousings (in)	50.90
Cargo Box (Area) Height (in)	20.00
Tailgate Width (in)	65.00
Cargo Volume (ft ³)	77.70
Ext'd Cab Cargo Volume (ft ³)	43.4 w/o Rear Seat

INTERIOR DIMENSIONS

Passenger Capacity	6	
Seating Position	Front	Second
Head Room (in)	41.40	38.50
Leg Room (in)	40.70	32.40
Shoulder Room (in)	68.00	68.00
Hip Room (in)	67.40	67.30

**2003 GMC Sonoma
TS10803 Reg Cab 118" WB SL**

Standard Class: 0226

Total Price: \$13,003.00

EQUIPMENT

MECHANICAL

Engine, Vortec 4300 V6 MFI, (180 HP [134.3kW] @ 4400 rpm, 245 lb-ft [330.7 N-m] @ 2800 rpm)
Transmission, 4-speed automatic, electronically controlled w/overdrive
Rear axle, 3.42 ratio
Battery, heavy-duty, 525 cold-cranking amps-inc: rundown protection
Alternator, 100 amps
Pickup bed, Fleetside, all-welded steel w/double wall construction & corrosion protection
Rear wheel drive
GVWR, 4900 lbs. (2087 kg)
Suspension Package, Increased Capacity-inc: 1.26" (32 mm) twin-tube shocks & a 1.14" (29 mm) stabilizer bar
Suspension, rear, semi-floating axle w/2-stage multi-leaf springs
Tires, P205/75R15, all-season, blackwall
Wheels, 4 - 15" x 7" (38.1 cm x 17.8 cm) steel painted Gray-inc: Black center caps
Tire, spare, P205/75R15 all-season, located at rear underbody of vehicle
Cruise control
Tilt steering
Steering, power
Brakes, 4-wheel antilock, front disc/rear drum
18 gallon fuel tank

EXTERIOR

Paint, solid Bumpers, front & rear, body color, step-inc: step pad
Daytime running lamps-inc: automatic exterior lamp control
Mirrors, outside rearview, foldaway, manual, Black, below eye-line, adjustable heads
Wipers, intermittent, front-inc: pulse washers

INTERIOR

SL Decor Seats, cloth, front 60/40 split-bench, manual reclining, integral outboard head restraints, armrests w/internal storage, dual cupholders
Floor covering, rubberized vinyl
Steering wheel, 4-spoke, deluxe, steel sleeve-inc: theft-deterrent locking feature, Black Theft-deterrent system, PASSLock
Instrumentation, analog-inc: speedometer, odometer w/trip odometer, fuel level, voltmeter, engine, temperature, oil pressure
Warning tones, headlamp on, key-in-ignition, driver safety belt unfasten, turn signal on
Air conditioning, front manual
Sound system, ETR AM/FM stereo w/CD player-inc: seek-&-scan & digital clock
Power outlet, auxiliary, covered, (1), 12-volt
Door trim, w/integral padded armrest, driver & passenger side map pockets
Mirror, inside rearview, manual day/night-inc: dual reading lights
Visors, padded, color-keyed
Assist handle, front passenger
Lighting, w/delayed entry

EMISSIONS CERTIFICATION

LEV certified (4.3L engine/4-speed auto trans) (2002)

EPA FUEL ECONOMY RATINGS

City 17/hwy 22 (4.3L engine/4-speed auto trans) (2002)

SAFETY

Brakes, 4-wheel antilock, front disc/rear drum

Air bags, frontal, driver & right front passenger-inc: passenger side deactivation switch

Daytime running lamps-inc: automatic exterior lamp control

POWERTRAIN

SAE Net Horsepower @ RPM 180 @ 4400

SAE Net Torque @ RPM 245 @ 2800

MILEAGE

EPA Fuel Economy Est (MPG) 17.00 22.00

Cruising Range (mi) 306.00 396.00

PAYLOAD/TRAILERING SPECIFICATIONS

WEIGHT INFORMATION	Front	Rear	Total
Gross Axle Weight Rating (lbs)	2,500.00	2,700.00	5,200.00
Curb Weight (lbs)	1,745.00	1,257.00	3,002.00
Total Option Weight (lbs)	232.00	74.00	306.00
Reserve Axle Capacity (lbs)	not reported		
Gross Vehicle Weight Rating (lbs)			4,900.00
As Spec'd Curb Weight (lbs)			3,308.00
As Spec'd Payload (lbs)			1,592.00
Gross Combined Wt Rating (lbs)			9,500.00

TRAILERING

	Max Trailer Wt.	Max Tongue Load
--	------------------------	------------------------

Dead Weight Hitch (lbs)	1,660.00	166.00
-------------------------	----------	--------

Weight Distributing Hitch (lbs)	5,892.00	707.04
---------------------------------	----------	--------

Fifth Wheel Hitch (lbs)

DIMENSION SPECIFICATIONS
EXTERIOR DIMENSIONS

Wheelbase (in) 117.90

Length, Overall w/o rear bumper (in) 206.00

Width, Max w/o mirrors (in) 67.90

Height, Overall (in) 62.90

Overhang

Overhang, Front (in) 35.20

Front Bumper to Back of Cab (in) 106.00

Cab to Axle (in) 47.10

Cab to End of Frame (in) not reported

Ground to Top of Load Floor (in) 28.10

Ground to Top of Frame (in) not reported

Frame Width, Rear (in) not reported

Ground Clearance

Ground Clearance, Front (in)	8.70
Ground Clearance, Rear (in)	6.70

CARGO AREA DIMENSIONS

Cargo Box Length @ Floor (in)	88.30
Width Cargo Box Width @ Top, Rear (in)	56.60
Cargo Box Width @ Floor (in)	4.90
Cargo Box Width @ Wheelhousings (in)	40.30
Cargo Box (Area) Height (in)	16.80
Tailgate Width (in)	54.90
Cargo Volume (ft ³)	48.10
Ext'd Cab Cargo Volume (ft ³)	

INTERIOR DIMENSIONS

Passenger Capacity	3
Seating Position	Front
Head Room (in)	39.50
Leg Room (in)	42.40
Shoulder Room (in)	56.90
Hip Room (in)	53.60

**2003 Dodge Dakota
AN5E61 2dr Reg Cab 112" WB 4WD**

Standard Class: 0227

Total Price: \$16,343.00

EQUIPMENT

MECHANICAL

3.9L (239) SMPI V6 "Magnum" engine
4-speed automatic transmission w/OD
NV231HD 2-speed synchronized transfer case w/shift-on-the-fly
Four wheel drive
3.92 axle ratio w/anti-spin rear axle
600-amp maintenance-free battery
136-amp alternator
6.5' pickup box
5400# GVWR
Independent front suspension
HD front/rear shock absorbers
Front stabilizer bar
P245/70R16 on/off-road SBR BSW tires
Conventional spare tire & wheel w/winch-type carrier
(5) 16" x 7" styled steel wheels
Speed control
Tilt steering
Pwr rack & pinion steering
4-wheel disc brakes-inc: rear anti-lock
20 gallon fuel tank

EXTERIOR

Painted front bumper
Black/gray rear bumper
Gray grille
Black 5" x 7" exterior mirrors
Tinted glass
Variable intermittent windshield wipers
Skid plate group, inc: front suspension/fuel tank/transfer case

INTERIOR

Cloth 40/20/40 split bench seat w/center armrest
Black vinyl floor covering
Analog instrument cluster w/tachometer, 120 MPH speedometer
Air conditioning
AM/FM stereo radio w/cassette, (4) speakers, CD changer control
Cigar lighter
Vinyl door trim panels
Cloth covered sun visors w/RH mirror
Driver/passenger assist handles
Front dome lamp

EPA FUEL ECONOMY RATINGS

City 14/hwy 18 (3.9L engine/4-speed auto trans) *Estimated*

SAFETY

Driver & front passenger airbags w/passenger on/off switch

4-wheel anti-lock brakes

3-point outboard seating position seatbelts w/front height adjusters, center lap belts

Dual note horn

POWERTRAIN

SAE Net Horsepower @ RPM 175 @ 4800

SAE Net Torque @ RPM 225 @ 3200

MILEAGE

EPA Fuel Economy Est (MPG) 14.00 18.00

Cruising Range (mi) 280.00 360.00

PAYLOAD/TRAILERING SPECIFICATIONS

WEIGHT INFORMATION	Front	Rear	Total
Gross Axle Weight Rating (lbs)	3,600.00	3,850.00	7,450.00
Curb Weight (lbs)	2,237.00	1,530.00	3,767.00
Total Option Weight (lbs)	0.00	0.00	0.00
Reserve Axle Capacity (lbs)	not reported		
Gross Vehicle Weight Rating (lbs)			5,400.00
As Spec'd Curb Weight (lbs)			3,767.00
As Spec'd Payload (lbs)			1,633.00
Gross Combined Wt Rating (lbs)			9,200.00

TRAILERING	Max Trailer Wt.	Max Tongue Load
Dead Weight Hitch (lbs)	2,000.00	200.00
Weight Distributing Hitch (lbs)	5,133.00	615.96
Fifth Wheel Hitch (lbs)	N/A	N/A

DIMENSION SPECIFICATIONS

EXTERIOR DIMENSIONS

Wheelbase (in)	112.10
Length, Overall w/o rear bumper (in)	196.00
Width, Max w/o mirrors (in)	71.60
Height, Overall (in)	67.90
Overhang	
Overhang, Front (in)	37.90
Front Bumper to Back of Cab (in)	107.20
Cab to Axle (in)	38.00
Cab to End of Frame (in)	not reported
Ground to Top of Load Floor (in)	30.20
Ground to Top of Frame (in)	not reported
Frame Width, Rear (in)	not reported
Ground Clearance	
Ground Clearance, Front (in)	8.10
Ground Clearance, Rear (in)	9.00

CARGO AREA DIMENSIONS

Cargo Box Length @ Floor (in)	77.90
Width	
Cargo Box Width @ Top, Rear (in)	57.80
Cargo Box Width @ Floor (in)	59.30
Cargo Box Width @ Wheelhousings (in)	45.10
Cargo Box (Area) Height (in)	17.50
Tailgate Width (in)	53.30
Cargo Volume (ft ³)	46.00
Ext'd Cab Cargo Volume (ft ³)	

INTERIOR DIMENSIONS

Passenger Capacity	3
Seating Position	Front
Head Room (in)	40.00
Leg Room (in)	41.90
Shoulder Room (in)	58.10
Hip Room (in)	54.90

**2003 Chevrolet S-10
CS10653 Ext Cab 123" WB Fleet**

Standard Class: 0228

Total Price: \$13,795.00

EQUIPMENT

MECHANICAL

Engine, Vortec 4300 V6 MFI –inc: (180HP [134.3 kW] @ 4400 rpm, 245 lb.-ft. [330.7 N-m] @ 2800 rpm)
Transmission, 4-speed automatic electronically controlled w/overdrive
Rear axle, 3.42 ratio
Battery, heavy-duty, 525 cold-cranking amps-inc: rundown protection
Alternator, 100 amps
Pickup bed, Fleetside, all-welded steel w/double wall construction & corrosion protection
Rear wheel drive
GVWR, 4600 lbs. (2087 kg)
Suspension Package, Increased Capacity-inc: 1.26" (32 mm) twin-tube shocks & a 1.14" (29 mm) stabilizer bar
Suspension, rear, semi-floating axle w/2-stage multi-leaf springs
Tires, P205/75R15, all-season, blackwall
Wheels, 4 - 15" x 7" (38.1 cm x 17.8 cm) steel painted Gray-inc: Black center caps
Tire, spare, P205/75R15, all-season, blackwall, located at rear underbody of vehicle
Cruise control
Tilt steering
Steering, power
Brakes, 4-wheel antilock, front disc/rear drum
18 gallon fuel tank

EXTERIOR

Bumpers, front and rear, Dark Gray, rear step-inc: pad
Daytime running lamps-inc: automatic exterior lamp control
Mirrors, outside rearview, foldaway, manual, Black, below eye-line, adjustable heads
Wipers, intermittent, front-inc: pulse washers
Door, 3rd, driver-side
Windows, rear quarter swing-out

INTERIOR

Seats, cloth, front 60/40 split-bench, manual reclining, integral outboard head restraints, armrests w/internal storage, dual cupholders
Seat, passenger side rear jump
Floor covering, rubberized vinyl
Steering wheel, 4-spoke, deluxe, steel sleeve-inc: theft-deterrent locking feature, Black Theft-deterrent system, PASSLock
Instrumentation, analog-inc: speedometer, odometer w/trip odometer, fuel level, voltmeter, engine temperature, oil pressure & tachometer
Warning tones, headlamp on, key-in-ignition, driver safety belt unfasten, turn signal on
Air conditioning, front manual
Sound system, ETR AM/FM stereo w/CD player-inc: seek-&-scan & digital clock
Power outlet, auxiliary, covered, (1), 12-volt
Door trim, w/integral padded armrest, driver & passenger side map pockets
Mirror, inside rearview, manual day/night-inc: dual reading lights
Visors, padded, color-keyed

Assist handle, front passenger
Lighting, w/delayed entry

EMISSIONS CERTIFICATION

LEV certified (4.3L engine/4-speed auto trans)

EPA FUEL ECONOMY RATINGS

City 17/hwy 22 (4.3L engine/4-speed auto trans)

SAFETY

Brakes, 4-wheel antilock, front disc/rear drum
Air bags, frontal, driver & right front passenger-inc: passenger side deactivation switch
Daytime running lamps-inc: automatic exterior lamp control

POWERTRAIN

SAE Net Horsepower @ RPM 180 @ 4400
SAE Net Torque @ RPM 245 @ 2800

MILEAGE

EPA Fuel Economy Est (MPG)	17.00	22.00
Cruising Range (mi)	306.00	396.00

PAYLOAD/TRAILERING SPECIFICATIONS

WEIGHT INFORMATION	Front	Rear	Total
Gross Axle Weight Rating (lbs)	2,500.00	2,700.00	5,200.00
Curb Weight (lbs)	1,830.00	1,393.00	3,223.00
Total Option Weight (lbs)	213.00	58.00	271.00
Reserve Axle Capacity (lbs)	not reported		
Gross Vehicle Weight Rating (lbs)			4,600.00
As Spec'd Curb Weight (lbs)			3,494.00
As Spec'd Payload (lbs)			1,106.00
Gross Combined Wt Rating (lbs)			9,500.00

TRAILERING	Max Trailer Wt.	Max Tongue Load
Dead Weight Hitch (lbs)	4,000.00	400.00
Weight Distributing Hitch (lbs)	5,706.00	684.72
Fifth Wheel Hitch (lbs)		

DIMENSION SPECIFICATIONS

EXTERIOR DIMENSIONS

Wheelbase (in)	122.90
Length, Overall w/o rear bumper (in)	205.30
Width, Max w/o mirrors (in)	67.90
Height, Overall (in)	62.70
Overhang	
Overhang, Front (in)	35.20
Front Bumper to Back of Cab (in)	120.70
Cab to Axle (in)	37.40
Cab to End of Frame (in)	not reported
Ground to Top of Load Floor (in)	27.70

Ground to Top of Frame (in)	not reported
Frame Width, Rear (in)	not reported
Ground Clearance	
Ground Clearance, Front (in)	9.10
Ground Clearance, Rear (in)	7.20

CARGO AREA DIMENSIONS

Cargo Box Length @ Floor (in)	72.40
Width Cargo Box Width @ Top, Rear (in)	56.60
Cargo Box Width @ Floor (in)	54.90
Cargo Box Width @ Wheelhousings (in)	40.30
Cargo Box (Area) Height (in)	16.80
Tailgate Width (in)	54.90
Cargo Volume (ft ³)	39.40
Ext'd Cab Cargo Volume (ft ³)	not reported

INTERIOR DIMENSIONS

Passenger Capacity	4	
Seating Position	Front	Second
Head Room (in)	39.50	N/A
Leg Room (in)	42.40	N/A
Shoulder Room (in)	56.90	N/A
Hip Room (in)	51.60	N/A

**2003 Chevrolet S-10
CT10653 Ext Cab 123" WB 4WD**

Standard Class: 0229

Total Price: \$17,184.00

EQUIPMENT

MECHANICAL

Engine, Vortec 4300 V6 MFI (190 HP [141.7 kW] @ 4400 rpm, 250 lb.-ft. [339.5 N-m] @ 2800 rpm)
Transmission, 4-speed automatic, electronically controlled w/overdrive
Rear axle, 3.73 ratio w/locking rear differential
Transfer case, electronic shift-inc: push-button controls
Battery, heavy-duty, 525 cold-cranking amps-inc: rundown protection
Alternator, 100 amps
Pickup bed, Fleetside, all-welded steel w/double wall construction & corrosion protection
Four wheel drive
GVWR, 5150 lbs. (2336 kg)
Suspension Package, Increased Capacity Suspension, front, independent torsion bar, & stabilizer bar
Suspension, rear, semi-floating axle w/2-stage multi-leaf springs
Tires, P235/70R15, all-season, blackwall
Wheels, 4 - 15" x 7" (38.1 cm x 17.8 cm) steel painted Gray-inc: Black center caps
Tire, spare, P235/70R15, all-season, located at rear underbody of vehicle
Cruise control
Tilt steering
Steering, power
Brakes, 4-wheel antilock, 4-wheel disc
18 gallon fuel tank

EXTERIOR

Bumpers, front and rear, Dark Gray, rear step-inc: pad Grille, Gray w/composite headlamps
Daytime running lamps-inc: automatic exterior lamp control
Mirrors, outside rearview, foldaway, manual, Black, below eye-line, adjustable heads
Wipers, intermittent, front-inc: pulse washers
Door, 3rd, driver-side
Windows, rear quarter swing-out
Skid plate package, inc: transfer case & front differential, fuel tank & steering linkage

INTERIOR

Seats, cloth, front, 60/40 split-bench-inc: manual driver & passenger recliners, integral head restraints
Seat, passenger side rear jump
Floor covering, rubberized vinyl
Steering wheel, 4-spoke, deluxe, steel sleeve-inc: theft-deterrent locking feature, Black Theft-deterrent system, PASSLock
Instrumentation, analog-inc: speedometer, odometer w/trip odometer, fuel level, voltmeter, engine temperature, oil pressure & tachometer
Warning tones, headlamp on, key-in-ignition, driver safety belt unfasten, turn signal on
Air conditioning, front manual
Sound system, ETR AM/FM stereo w/CD player-inc: seek-&-scan & digital clock
Power outlet, auxiliary, covered, (1), 12-volt
Door trim, w/integral padded armrest, driver & passenger side map pockets
Mirror, inside rearview, manual day/night-inc: dual reading lights

Visors, padded, color-keyed
 Assist handle, front passenger

EMISSIONS CERTIFICATION

LEV certified (4.3L engine/4-speed auto trans)

EPA FUEL ECONOMY RATINGS

City 15/hwy 20 (4.3L engine/4-speed auto trans)

SAFETY

Brakes, 4-wheel antilock, 4-wheel disc
 Air bags, frontal, driver & right front passenger-inc: passenger side deactivation switch
 Daytime running lamps-inc: automatic exterior lamp control

POWERTRAIN

SAE Net Horsepower @ RPM 190 @ 4400
 SAE Net Torque @ RPM 250 @ 2800

MILEAGE

EPA Fuel Economy Est (MPG)	15.00	20.00
Cruising Range (mi)	270.00	360.00

PAYLOAD/TRAILERING SPECIFICATIONS

WEIGHT INFORMATION	Front	Rear	Total
Gross Axle Weight Rating (lbs)	2,800.00	2,700.00	5,500.00
Curb Weight (lbs)	2,317.00	1,435.00	3,752.00
Total Option Weight (lbs)	6.00	58.00	64.00
Reserve Axle Capacity (lbs)	not reported		
Gross Vehicle Weight Rating (lbs)			5,150.00
As Spec'd Curb Weight (lbs)			3,816.00
As Spec'd Payload (lbs)			1,334.00
Gross Combined Wt Rating (lbs)			9,500.00

TRAILERING	Max Trailer Wt.	Max Tongue Load
Dead Weight Hitch (lbs)	4,000.00	400.00
Weight Distributing Hitch (lbs)	5,384.00	646.08
Fifth Wheel Hitch (lbs)		

DIMENSION SPECIFICATIONS

EXTERIOR DIMENSIONS

Wheelbase (in)	122.90
Length, Overall w/o rear bumper (in)	205.30
Width, Max w/o mirrors (in)	67.90
Height, Overall (in)	63.40
Overhang	
Overhang, Front (in)	35.20
Front Bumper to Back of Cab (in)	120.70
Cab to Axle (in)	37.40
Cab to End of Frame (in)	not reported
Ground to Top of Load Floor (in)	27.20

2003 FLEET OPERATIONS CLASS STANDARDS

Ground to Top of Frame (in)	not reported
Frame Width, Rear (in)	not reported
Ground Clearance	
Ground Clearance, Front (in)	8.50
Ground Clearance, Rear (in)	7.50

CARGO AREA DIMENSIONS

Cargo Box Length @ Floor (in)	72.40
Width Cargo Box Width @ Top, Rear (in)	56.60
Cargo Box Width @ Floor (in)	54.90
Cargo Box Width @ Wheelhousings (in)	40.30
Cargo Box (Area) Height (in)	16.80
Tailgate Width (in)	54.90
Cargo Volume (ft ³)	39.40
Ext'd Cab Cargo Volume (ft ³)	not reported

INTERIOR DIMENSIONS

Passenger Capacity	4	
Seating Position	Front	Second
Head Room (in)	39.50	N/A
Leg Room (in)	42.40	N/A
Shoulder Room (in)	56.90	N/A
Hip Room (in)	51.60	N/A

**2003 Ford Taurus
P52 4dr Sdn LX Deluxe Fleet**

Standard Class: 0601

Total Price: \$15,291.00

EQUIPMENT

MECHANICAL

3.0L SOHC SMPI 12-valve V6 Vulcan Flexible Fuel engine
4-speed automatic transmission w/OD
Transmission oil cooler
Front wheel drive
58 amp/hr low-maintenance battery w/battery saver
130-amp alternator
Independent MacPherson strut front suspension
Independent quadralink rear suspension w/struts
Front stabilizer bar
P215/60R16 all-season SBR tires
16" steel wheels w/locking wheel covers
Mini spare wheel/tire
Pwr rack & pinion steering w/variable assist
Pwr front disc/rear drum brakes
4-wheel anti-lock braking system
18.0 gallon fuel tank w/tethered quick-release gas cap

EXTERIOR

Front/rear color-keyed bumpers
Color-keyed body-side protection moldings
Black rocker panel moldings
Color-keyed fascia
Solar-tinted windows
Black pwr mirrors
Variable intermittent windshield wipers

INTERIOR

Front bench seat w/dual recliners, center console, armrest, map pockets, 2-way head restraints
Fixed rear seatback
Cloth seating surfaces
Front/rear floor mats
Tilt steering column
SecuriLock passive anti-theft system (coded key)
Gauges-inc: temp, fuel, trip odometer, million mile odometer, tachometer, 110 MPH electronic speedometer
Warning lights-inc: airbags, door ajar, battery, oil pressure, service engine soon, seat belt reminder, low fuel
Pwr windows w/lock out switch, driver-side express down
Pwr door locks
Speed control
Air conditioning
Rear floor heat ducts
Rear window defroster
ETR AM/FM stereo radio w/cassette-inc: (4) speakers
Fixed whip antenna

Center console w/cupholders, cassette storage
Dual auxiliary pwr points
Front ashtray
Cloth-covered sun visors w/covered vanity mirrors
Driver/passenger side rear grab handles
Light group-inc: map, dual-beam reading & dome
Delay-off dome lamp
Ashtray/luggage compartment courtesy lights
Trunk grocery bag hooks

EPA FUEL ECONOMY RATINGS

City 19/hwy 27 (3.0L FFV engine w/unleaded/4-speed auto trans)
City 14/hwy 20 (3.0L FFV engine w/ethanol/4-speed auto trans)

SAFETY

4-wheel anti-lock braking system
Driver & front passenger Second Generation dual stage airbags
Outboard lap/shoulder safety belts w/adjustable D-rings
Safety belt pretensioners
Child-seat tether anchors w/latch on rear seating position
Child-safety rear door locks
Fuel shutoff switch deactivates fuel pump upon rear impact
Emergency inside trunk release
Daytime running lights

POWERTRAIN

SAE Net Horsepower @ RPM 155 @ 4900
SAE Net Torque @ RPM 185 @ 3950

MILEAGE

EPA Fuel Economy Est (MPG)	19.00	27.00
Cruising Range (mi)	342.00	486.00

PAYLOAD/TRAILERING SPECIFICATIONS**WEIGHT INFORMATION**

Base Curb Weight (lbs) 3,336.00

DIMENSION SPECIFICATIONS**EXTERIOR DIMENSIONS**

Wheelbase (in)	108.50
Length, Overall (in)	197.60
Width, Max w/o mirrors (in)	73.00
Height, Overall (in)	56.10
Tread Width	
Tread Width, Front (in)	61.60
Tread Width, Rear (in)	62.10
Min Ground Clearance (in)	5.40

CARGO AREA DIMENSIONS

Liftover Height (in)	26.00
Trunk Volume (ft ³)	17.00

INTERIOR DIMENSIONS

Passenger Capacity	6
Passenger Volume (ft ³)	104.70
EPA Classification	Mid-Size

Seating Position	Front	Second
Head Room (in)	40.00	38.10
Leg Room (in)	42.20	38.90
Shoulder Room (in)	57.30	56.60
Hip Room (in)	54.50	55.70

**2003 Ford Taurus
P58 4dr Wgn SE Standard Fleet**

Standard Class: 0602

Total Price: \$16,945.00

EQUIPMENT

MECHANICAL

3.0L SOHC SMPI 12-valve V6 Vulcan Flexible Fuel engine
4-speed automatic transmission w/OD
Transmission oil cooler
Front wheel drive
58 amp/hr low-maintenance battery w/battery saver
130-amp alternator
Independent MacPherson strut front suspension
Independent quadralink rear suspension w/struts
Front stabilizer bar
P215/60R16 all-season SBR tires
16" 5-spoke painted aluminum wheels
Mini spare wheel/tire
Pwr rack & pinion steering w/variable assist
Pwr 4-wheel disc brakes
18.0 gallon fuel tank w/tethered quick-release gas cap

EXTERIOR

Luggage rack w/adjustable crossbar, tie-downs
Front/rear color-keyed bumpers w/rear step pad
Color-keyed body-side protection moldings
Black rocker panel moldings
Color-keyed fascia
Security approach perimeter lighting
Solar-tinted windows
Flip-up tailgate glass w/gas cylinders assists
Color-keyed pwr mirrors
Variable intermittent windshield wipers
Rear window wiper/washer

INTERIOR

Front bench seat w/dual recliners, flip/fold center console, armrest, map pockets, 2-way head restraints
60/40 split fold-down 2nd-row seat
3rd-row seat
Cloth seating surfaces
Front/rear floor mats
Tilt steering column
SecuriLock passive anti-theft system (coded key)
Gauges-inc: temp, fuel, trip odometer, million mile odometer, tachometer, 110 MPH electronic speedometer
Warning lights-inc: airbags, door ajar, battery, oil pressure, service engine soon, seat belt reminder, low fuel
Pwr windows w/lock out switch, driver-side express down
Pwr door locks
Remote keyless entry
Speed control

Air conditioning
Rear floor heat ducts
Rear window defroster
ETR AM/FM stereo radio w/cassette-inc: (4) speakers
Fixed whip antenna
Center console w/cupholders, cassette storage
Dual auxiliary pwr points
Front ashtray
Cloth-covered sun visors w/covered vanity mirrors
Driver/passenger side rear grab handles
Light group-inc: map, dual-beam reading & dome
Delay-off dome lamp
Liftgate-activated cargo courtesy light w/on/off/automatic settings
Under-floor/right-rear quarter storage compartment
Load floor tie downs
Cargo cover

EPA FUEL ECONOMY RATINGS

City 19/hwy 27 (3.0L FFV engine w/unleaded/4-speed auto trans)
City 14/hwy 20 (3.0L FFV engine w/ethanol/4-speed auto trans)

SAFETY

Driver & front passenger Second Generation dual stage airbags
Outboard lap/shoulder safety belts w/adjustable D-rings
Safety belt pretensioners
Child-seat tether anchors w/latch on rear seating position
Child-safety rear door locks
Fuel shutoff switch deactivates fuel pump upon rear impact
4-wheel anti-lock brakes
Daytime running lights

POWERTRAIN

SAE Net Horsepower @ RPM 155 @ 4900
SAE Net Torque @ RPM 185 @ 3950

MILEAGE

EPA Fuel Economy Est (MPG)	19.00	27.00
Cruising Range (mi)	342.00	486.00

PAYLOAD/TRAILERING SPECIFICATIONS**WEIGHT INFORMATION**

Base Curb Weight (lbs) 3,502.00

TRAILERING**Max Trailer Wt. Max Tongue Load**

Dead Weight Hitch (lbs)	1,250.00	125.00
Weight Distributing Hitch (lbs)		

DIMENSION SPECIFICATIONS**EXTERIOR DIMENSIONS**

Wheelbase (in)	108.50
Length, Overall (in)	197.70
Width, Max w/o mirrors (in)	73.00
Height, Overall (in)	57.80
Tread Width	
Tread Width, Front (in)	61.60
Tread Width, Rear (in)	62.10
Min Ground Clearance (in)	5.50
Rear Door	

CARGO AREA DIMENSIONS

Length @ Floor	
Width	
Liftover Height (in)	not reported
Cargo Volume	

INTERIOR DIMENSIONS

Passenger Capacity	6
Passenger Volume (ft ³)	104.00
EPA Classification	Mid-Size Station Wagon

Seating Position	Front	Second
Head Room (in)	39.40	38.90
Leg Room (in)	42.20	38.50
Shoulder Room (in)	57.30	56.60
Hip Room (in)	54.50	55.40

**2003 Chevrolet Cavalier
1JC69 4dr Sdn**

Standard Class: 0604

Total Price: \$12,643.00

EQUIPMENT

MECHANICAL

Engine, 2.2L DOHC, 16-valve, 4-cylinder, SFI
Transmission, 4-speed automatic electronically controlled w/overdrive-inc: 3.94 axle ratio
Front wheel drive
Battery, Delco maintenance free-inc: rundown protection
Suspension, Soft Ride
Tires, P195/70R14, all-season, blackwall
Steering, power, rack-and-pinion
Brakes, front disc/rear drum
14.1 gallon fuel tank
Exhaust, stainless-steel
Tilt steering
Cruise control
Keyless remote

EXTERIOR

Fascias, front & rear, body-color
Body-side body-color moldings
Front mud guards
Composite halogen headlamps
Daytime running lamps
Mirrors, outside rearview, manual, Black
Glass, Solar-Ray light tinted

INTERIOR

Seats, front cloth bucket-inc: manual recliners, adjustable vinyl head restraint & 60/40 split-bench rear w/trunk pass-through
Console, floor-inc: floor shifter, integral armrest, lighted shift indicator & storage compartment
Instrumentation, analog-inc: speedometer, temperature, fuel, tachometer & trip odometer
Trunk release, power
Theft-deterrent system, PASSLock
Air conditioning, front manual
Defogger, rear-window, electric
Sound system, ETR AM/FM stereo w/CD player-inc: seek-&-scan & digital clock
Cupholders, dual front & rear
Headliner, Shale-colored cloth
Lighting, interior, trunk & dome
Carpeted front and rear floor mats
Dual visor vanity mirrors
Intermittent windshield wipers
Power locks
Power windows

EMISSIONS CERTIFICATION

LEV certified (2.2L engine/4-speed auto trans) (2002)

EPA FUEL ECONOMY RATINGS

City 24/hwy 32 (2.2L engine/4-speed auto trans) (2002)

SAFETY

Air bags, frontal, driver & right front passenger

Safety belts, 3-point, driver & front passenger

Safety belts, 3-point, rear, all positions

Tether anchors, rear, top

Door locks, child security, rear

Daytime running lamps

4-wheel anti-lock brakes

POWERTRAIN

SAE Net Horsepower @ RPM 140 @ 5600

SAE Net Torque @ RPM 150 @ 4000

MILEAGE

EPA Fuel Economy Est (MPG) 24.00 32.00

Cruising Range (mi) 338.00 450.00

PAYLOAD/TRAILERING SPECIFICATIONS**WEIGHT INFORMATION**

Base Curb Weight (lbs) 2,676.00

DIMENSION SPECIFICATIONS**EXTERIOR DIMENSIONS**

Wheelbase (in) 104.10

Length, Overall (in) 180.90

Width, Max w/o mirrors (in) 67.90

Height, Overall (in) 54.70

Tread Width

Tread Width, Front (in) 57.60

Tread Width, Rear (in) 56.70

Min Ground Clearance (in) 5.70

CARGO AREA DIMENSIONS

Liftover Height (in) 26.20

Trunk Volume (ft³) 13.60

INTERIOR DIMENSIONS

Passenger Capacity 5

Passenger Volume (ft³) 91.50

EPA Classification Compact

2003 FLEET OPERATIONS CLASS STANDARDS

Seating Position	Front	Second
Head Room (in)	37.60	37.20
Leg Room (in)	41.90	34.40
Shoulder Room (in)	53.90	53.90
Hip Room (in)	50.80	50.60

**2003 Chevrolet Impala Police/Taxi Pkgs
1WF19 4dr Sdn Unmarked Police Pkg 9C3**

Standard Class: 0605

Total Price: \$21,636.00

EQUIPMENT

MECHANICAL

Engine, 3.8L 3800 V6 SFI (200 HP [149.2 kW] @ 5200 rpm, 225 lb.-ft. [303.7 N-m] @ 4000 rpm)
Fuel cutoff, top speed 129 mph
Transmission, 4-speed automatic, heavy-duty, electronically controlled w/ overdrive, 4T65E
Alternator, 125 amp, 96 amp @ 725 rpm idle, transmission in park or neutral w/air conditioning on, 124 amp @ 1200 rpm idle boost
Battery, 690 CCA
Cooling, engine oil cooler, auxiliary, air-to-oil
Axle, 3.29 ratio
Ignition, 100 amp & main power supply wiring at instrument panel
Front wheel drive
Suspension, Heavy-Duty Police
Tires, P225/60R16, H-rated, all-season, blackwall
Tire, spare, fullsize
Wheels, 16" (40.6 cm) steel-inc: full-size, bolt-on wheel covers
Steering, power, rack-&-pinion
17.0 gallon fuel tank
Exhaust, stainless-steel
Cruise control

EXTERIOR

Moldings, bodyside, Charcoal
Moldings, rocker, Charcoal
Cowl filter
Daytime running lamps
Headlamps, halogen, composite-inc: automatic exterior lamp control
Mirrors, outside rearview, power, body-color
Glass, Solar-Ray light tinted
License plate bracket, front (available at no extra charge)
Wipers, intermittent, front

INTERIOR

Seats, front Retail Cloth 60/40 split-bench-inc: (AG1) Seat adjuster, power driver & rear split-bench seat
Cupholders, dual, front
Visors, vanity mirrors, driver & front passenger, covered-inc: extendable sunshades
Floor mats, carpeted, front & rear-inc: floor covering
Steering column, Tilt-Wheel, adjustable
Instrumentation, analog-inc: speedometer w/1 mph increments, trip odometer, door ajar, change oil, & indicators for low fuel, coolant & washer fluid
Lighting, on/off switch, for speedometer light, radio display & daytime running lamps
Wiring, headlamp flasher, forward lamp in-line connector w/power for flasher, DRL control & flasher on/off control lead to interior compartment
Wiring, taillamp flasher, rear body lamp in-line connector w/power for flasher, DRL control & flasher on/off control lead to interior compartment

2003 FLEET OPERATIONS CLASS STANDARDS

Door locks, power-inc: lockout protection
Door locks, single key locking system, random key code for each vehicle, 1-key operates ignition & all locks
Door handles and locks, inside, rear doors inoperative
Windows, power-inc: driver express-down & passenger lockout
Windows switches, rear window inoperative
Trunk release, power
Theft-deterrent system, PASSLock
Air conditioning, dual-zone, manual-inc: individual climate settings for driver & right front passenger, manual climate control & rear seat heating/ cooling outlets
Air filtration system-inc: pollen filter
Defogger, rear-window, electric
Sound system, ETR AM/FM stereo w/cassette player-inc: Radio Data System, seek-&-scan, digital clock, auto tone control, TheftLock & 6 speakers
Antenna, integral, rear
Mirror, inside rearview, manual day/night-inc: dual reading lights
Lighting, interior-inc: glovebox, trunk, instrument panel-mounted ashtray
Lighting, inoperative dome
Flasher system, headlamp & taillamp DRL compatible
Trunk mat, rubber
Power outlet, auxiliary, 100 amp, trunk
Ground Stud, auxiliary, located in trunk

EMISSIONS CERTIFICATION

LEV certified (3.8L engine/4-speed auto trans)

EPA FUEL ECONOMY RATINGS

City 18/hwy 28 (3.8L engine/4-speed auto trans) (2002)

SAFETY

Brakes, 4-wheel antilock, 4-wheel disc-inc: tire inflation monitor
Air bags, frontal, driver & right front passenger
Air bag, side-impact, driver
Daytime running lamps
Ride and handling suspension & tire inflation monitor w/reinforced engine crade

POWERTRAIN

SAE Net Horsepower @ RPM 200 @ 5200

SAE Net Torque @ RPM 225 @ 4000

MILEAGE

EPA Fuel Economy Est (MPG) 18.00 28.00

Cruising Range (mi) 306.00 476.00

PAYLOAD/TRAILERING SPECIFICATIONS

WEIGHT INFORMATION

Base Curb Weight (lbs) 3,466.00

DIMENSION SPECIFICATIONS**EXTERIOR DIMENSIONS**

Wheelbase (in)	110.50
Length, Overall (in)	200.00
Width, Max w/o mirrors (in)	73.00
Height, Overall (in)	57.30
Tread Width	
Tread Width, Front (in)	62.00
Tread Width, Rear (in)	61.10
Min Ground Clearance (in)	6.10

CARGO AREA DIMENSIONS

Liftover Height (in)	not reported
Trunk Volume (ft ³)	18.60

INTERIOR DIMENSIONS

Passenger Capacity	6	
Passenger Volume (ft³)	104.50	
EPA Classification	Large	
Seating Position	Front	Second
Head Room (in)	39.20	42.20
Leg Room (in)	42.20	38.40
Shoulder Room (in)	59.00	58.90
Hip Room (in)	56.50	55.70

**2003 Dodge Intrepid
LHDH41 4dr Sdn SE**

Standard Class: 0607

Total Price: \$15,757.00

EQUIPMENT

MECHANICAL

2.7L DOHC MPI 24-valve V6 engine
4-speed automatic transmission w/OD
Brake/park shift interlock
Front wheel drive
500 CCA maintenance-free battery w/run down protection
120 amp alternator
Normal duty suspension
P225/60R16 all-season touring SBR BSW tires
Fullsize spare tire
16" x 7" steel wheels w/full wheel covers
Pwr rack & pinion steering
Pwr-assisted 4-wheel disc brakes
17 gallon fuel tank w/tethered cap
Cruise control

EXTERIOR

Quad halogen headlamps w/shut-off delay
Pwr mirrors
Solar-control tinted glass
Variable intermittent windshield wipers
Body-color door handles

INTERIOR

Cloth low-back front bucket seats
Rear bench seat
Full-length floor console w/cup holders
Full floor carpeting
Front/rear floor mats w/driver tie-down
Tilt steering
Instrument cluster-inc: tachometer, 120 MPH speedometer
Pwr windows w/driver 1-touch down feature
Speed sensitive pwr door locks
Air conditioning
Front/rear climate control outlets
Rear window defroster
Electronic AM/FM stereo radio w/cassette, CD changer controls, (4) speakers
Fixed antenna
Locking glove box
Rear passenger assist handle
Lamps-inc: dual front/rear map, trunk
Sun visors w/covered vanity mirror
Pwr trunklid release
Internal trunk emergency release

EPA FUEL ECONOMY RATINGS

City 20/hwy 27 (2.7L engine/4-speed auto trans) (2002)

EMISSIONS CERTIFICATION

LEV certified (2.7L engine/4-speed auto trans) *Estimated*

SAFETY

Driver & front passenger "Next Generation" airbags

Front 3-point height-adjustable shoulder belts

Rear 3-point seat belts

Child safety rear door locks

Child seat upper tether anchorages

Brake/park shift interlock

Internal trunk emergency release

Dual note horn

4-wheel anti-lock brakes

Daytime running lights

POWERTRAIN

SAE Net Horsepower @ RPM 200 @ 5800

SAE Net Torque @ RPM 190 @ 4850

MILEAGE

EPA Fuel Economy Est (MPG) 20.00 27.00

Cruising Range (mi) 340.00 459.00

PAYLOAD/TRAILERING SPECIFICATIONS**WEIGHT INFORMATION**

Base Curb Weight (lbs) 3,340.00

DIMENSION SPECIFICATIONS**EXTERIOR DIMENSIONS**

Wheelbase (in) 113.00

Length, Overall (in) 203.70

Width, Max w/o mirrors (in) 74.70

Height, Overall (in) 55.90

Tread Width

Tread Width, Front (in) 61.90

Tread Width, Rear (in) 61.60

Min Ground Clearance (in) 5.10

CARGO AREA DIMENSIONS

Liftover Height (in) 32.64

Trunk Volume (ft³) 18.40

INTERIOR DIMENSIONS

Passenger Capacity 5

Passenger Volume (ft³) 104.50

EPA Classification Large

2003 FLEET OPERATIONS CLASS STANDARDS

Seating Position	Front	Second
Head Room (in)	38.30	37.50
Leg Room (in)	42.20	39.10
Shoulder Room (in)	59.00	58.10
Hip Room (in)	56.10	56.60

**2003 Ford Escape
U03 4dr 103" WB XLT Choice**

Standard Class: 4801

Total Price: \$19,250.00

EQUIPMENT

MECHANICAL

3.0L (182) DOHC SEFI 24-valve V6 "Duratec" engine
4-speed automatic transmission w/OD
2.93 axle ratio
Front wheel drive
4-wheel independent suspension
(4) P225/70R15 BSW all-season tires
(4) 15" X 6.5" cast aluminum wheels
Compact spare tire w/under cargo floor storage
4-wheel anti-lock braking system
16.0 gallon fuel tank

EXTERIOR

Black roof rack w/cross bars
Grey bumpers w/rear step
Grey lower bodyside cladding
Chrome grille w/black mesh center
Black full grip ergonomic door handles
Halogen headlamps w/delay
Fog lamps
Black fold-away pwr side mirrors
Solar-tinted glass
Privacy glass
Variable intermittent windshield wipers
Rear 2-speed wiper w/washer

INTERIOR

Premium cloth front low-back bucket seats-inc: headrests, dual map pockets
6-way pwr driver seat w/height adjuster
60/40 split tip-fold-flat rear bench seat w/removable cushion
Premium floor console-inc: (4) cup holders, storage bin, armrest
Floor mats
Black tilt steering wheel w/speed control
White-faced instrument panel-inc: tachometer & warning lights w/fog lamp indicator
Pwr windows w/driver "one-touch-down"
Pwr locks
Remote keyless entry w/2-step unlocking, (2) transmitters
Perimeter alarm
Securilock passive anti-theft system w/immobilizer
Air conditioning
Rear floor heat ducts
ETR AM/FM stereo w/CD/cassette player-inc: 4 speakers, clock
Locking glove box
Cigarette lighter

Auxiliary pwr points-inc: (1) cigarette lighter, (1) additional
Cloth visors w/covered vanity mirrors
Front/rear assist handles
Interior lighting w/delay-inc: map lights, rear cargo light
Illuminated entry
Lower valence panel bin
Map pockets
(4) cargo floor hooks

EMISSIONS CERTIFICATION

LEV certified (3.0L engine/4-speed auto trans)

EPA FUEL ECONOMY RATINGS

City 19/hwy 25 (3.0L engine/4-speed auto trans)

SAFETY

Driver & front passenger airbags
4-wheel anti-lock braking system
Front height-adjustable 3-point safety belts w/pretensioners
Rear outboard 3-point safety belts, center lap belt
Rear outboard LATCH child seat anchors & tethers
Belt Minder feature
Child safety rear door locks

POWERTRAIN

SAE Net Horsepower @ RPM 201 @ 5900
SAE Net Torque @ RPM 196 @ 4700

MILEAGE

EPA Fuel Economy Est (MPG) 19.00 25.00
Cruising Range (mi) 304.00 400.00

PAYLOAD/TRAILERING SPECIFICATIONS**WEIGHT INFORMATION**

Base Curb Weight (lbs) 3,163.00

TRAILERING**Max Trailer Wt. Max Tongue Load**

Dead Weight Hitch (lbs)	not reported	
Weight Distributing Hitch (lbs)	2,000.00	200.00

DIMENSION SPECIFICATIONS**EXTERIOR DIMENSIONS**

Wheelbase (in)	103.00
Length, Overall (in)	not reported
Width, Max w/o mirrors (in)	70.10
Height, Overall (in)	69.10
Ground Clearance	not reported
Min Ground Clearance (in)	not reported
Rear Door	
Rear Door Opening Height (in)	34.90

Rear Door Opening Width (in) 41.00
Side Door

CARGO AREA DIMENSIONS

Length @ Floor

Cargo Area Length @ Floor to Seat 1 (in) 59.00
Cargo Area Length @ Floor to Seat 2 (in) 35.90
Cargo Area Length @ Floor to Seat 3 (in)

Width

Cargo Area Width @ Beltline (in) not reported
Cargo Box Width @ Wheelhousings (in) 40.80

Cargo Box (Area) Height (in) 38.90

Liftover Height (in)

Cargo Volume

Cargo Volume to Seat 1 (ft³) 64.80
Cargo Volume to Seat 2 (ft³) 33.00
Cargo Volume to Seat 3 (ft³)

INTERIOR DIMENSIONS

Passenger Capacity 5

Passenger Volume (ft³) 133.10

EPA Classification 2WD Sport Utility Vehicles

Seating Position	Front	Second
Head Room (in)	40.40	39.20
Leg Room (in)	41.60	36.40
Shoulder Room (in)	56.30	55.90
Hip Room (in)	53.40	49.00

**2003 Ford Escape
U93 4dr 103" WB XLT 4WD Choice**

Standard Class: 4802

Total Price: \$20,679.00

EQUIPMENT

MECHANICAL

3.0L (182) DOHC SEFI 24-valve V6 "Duratec" engine
4-speed automatic transmission w/OD
2.93 axle ratio
Control-Trac II 4-wheel drive system
4-wheel independent suspension
(4) P235/70R16 OWL all-season tires
(4) 16" X 6.5" cast aluminum wheels
Compact spare tire w/under cargo floor storage
4-wheel anti-lock braking system
16.0 gallon fuel tank

EXTERIOR

Black roof rack w/cross bars
Grey bumpers w/rear step
Grey lower bodyside cladding
Chrome grille w/black mesh center
Black full grip ergonomic door handles
Halogen headlamps w/delay
Fog lamps
Black fold-away pwr side mirrors
Solar-tinted glass
Privacy glass
Variable intermittent windshield wipers
Rear 2-speed wiper w/washer

INTERIOR

Premium cloth front low-back bucket seats-inc: headrests, dual map pockets
6-way pwr driver seat w/height adjuster
60/40 split tip-fold-flat rear bench seat w/removable cushion
Premium floor console-inc: (4) cup holders, storage bin, armrest
Floor mats
Black tilt steering wheel w/speed control
White-faced instrument panel-inc: tachometer & warning lights w/fog lamp indicator
Pwr windows w/driver "one-touch-down"
Pwr locks
Remote keyless entry w/2-step unlocking, (2) transmitters
Perimeter alarm
Securilock passive anti-theft system w/immobilizer
Air conditioning
Rear floor heat ducts
ETR AM/FM stereo/CD/cassette-inc: 4 speakers, clock
Locking glove box
Cigarette lighter

Auxiliary pwr points-inc: (1) cigarette lighter, (1) additional
Cloth visors w/covered vanity mirrors
Front/rear assist handles
Interior lighting w/delay-inc: map lights, rear cargo light
Illuminated entry
Lower valence panel bin
Map pockets
(4) cargo floor hooks

EMISSIONS CERTIFICATION

LEV certified (3.0L engine/4-speed auto trans)

EPA FUEL ECONOMY RATINGS

City 18/hwy 23 (3.0L engine/4-speed auto trans)

SAFETY

Driver & front passenger airbags
4-wheel anti-lock braking system
Front height-adjustable 3-point safety belts w/pretensioners
Rear outboard 3-point safety belts, center lap belt
Rear outboard LATCH child seat anchors & tethers
Belt Minder feature
Child safety rear door locks

POWERTRAIN

SAE Net Horsepower @ RPM 201 @ 5900
SAE Net Torque @ RPM 196 @ 4700

MILEAGE

EPA Fuel Economy Est (MPG)	18.00	23.00
Cruising Range (mi)	288.00	368.00

PAYLOAD/TRAILERING SPECIFICATIONS**WEIGHT INFORMATION**

Base Curb Weight (lbs) 3,330.00

TRAILERING	Max Trailer Wt.	Max Tongue Load
Dead Weight Hitch (lbs)	not reported	
Weight Distributing Hitch (lbs)	2,000.00	200.00

DIMENSION SPECIFICATIONS**EXTERIOR DIMENSIONS**

Wheelbase (in)	103.00
Length, Overall (in)	not reported
Width, Max w/o mirrors (in)	70.10
Height, Overall (in)	69.10
Ground Clearance	not reported
Min Ground Clearance (in)	not reported
Rear Door	
Rear Door Opening Height (in)	34.90

Rear Door Opening Width (in) 41.00
Side Door

CARGO AREA DIMENSIONS**Length @ Floor**

Cargo Area Length @ Floor to Seat 1 (in)	59.00
Cargo Area Length @ Floor to Seat 2 (in)	35.90
Cargo Area Length @ Floor to Seat 3 (in)	

Width

Cargo Area Width @ Beltline (in)	not reported
Cargo Box Width @ Wheelhousings (in)	40.80

Cargo Box (Area) Height (in)	38.90
------------------------------	-------

Liftover Height (in)**Cargo Volume**

Cargo Volume to Seat 1 (ft ³)	64.80
Cargo Volume to Seat 2 (ft ³)	33.00
Cargo Volume to Seat 3 (ft ³)	

INTERIOR DIMENSIONS

Passenger Capacity	5
--------------------	---

Passenger Volume (ft ³)	133.10
-------------------------------------	--------

EPA Classification	4WD Sport Utility Vehicles
--------------------	----------------------------

Seating Position	Front	Second
Head Room (in)	40.40	39.20
Leg Room (in)	41.60	36.40
Shoulder Room (in)	56.30	55.90
Hip Room (in)	53.40	49.00

**2003 Chevrolet Blazer
CT10506 4dr 4WD LS**

Standard Class: 4802-Towing

Total Price: \$22,452.00

EQUIPMENT

MECHANICAL

Engine, Vortec 4300 V6 MFI (190 HP [141.7 kW] @ 4400 rpm, 250 lb.-ft. [339.5 N-m] @ 2800 rpm)
Transmission, 4-speed automatic, electronically controlled w/overdrive-inc: brake/transmission shift interlock, column shift
Transfer case, electronic shift, Insta-Trac
Rear axle, 3.73 ratio w/locking rear differential
4-wheel drive
Battery, heavy-duty, 525 cold-cranking amps-inc: rundown protection
Alternator, 100 amps GVWR, 5350 lbs. (2427 kg)
Suspension Package, Touring, Sporty/Firm for ride/trailering usage on paved/improved roads, front & rear stabilizer bars
Suspension, front, independent torsion bar, & stabilizer bar
Suspension, rear, semi-floating axle w/2-stage multi-leaf springs
Stabilizer bars, front & rear, front 1.30" (33mm), rear .91" (23mm)
Tires, P235/70R15, all-season, blackwall-inc: full-size spare
Wheels, 5 - 15" x 7" (38.1 cm x 17.8 cm) aluminum-inc: center caps
Steering, power
Brakes, 4-wheel antilock
18 gallon fuel tank
Exhaust, aluminized stainless-steel muffler & tailpipe
Tools, mechanical jack & wheel wrench
Key, single, 2-sided
Cruise control
Tilt steering
Trailer equipment, inc: trailering hitch platform and 8-lead wiring harness

EXTERIOR

Luggage rack, rooftop-inc: side rails (excludes crossbars)
Bumpers, front & rear, body-color, rear step-inc: pad Grille, body-color w/chrome bar
Daytime running lamps-inc: automatic exterior lamp control
Headlamps, dual halogen composite-inc: flash-to-pass feature & automatic lamp control
Mirrors, outside rearview, foldaway, manual, Black, heated
Glass, Solar-Ray deep tinted, (all windows except light tinted glass on windshield, driver, front passenger, & rear windows)
Wipers, intermittent, front-inc: pulse washers
Body, tailgate
Skid plate package, inc: transfer case, differential, fuel tank and steering linkage

INTERIOR

LS decor Seats, front bucket, manual reclining, w/outboard head restraints
Seats, rear split-folding
Seat trim, Custom Cloth
Floor covering, color-keyed carpeting
Floor mats, front and rear

2003 FLEET OPERATIONS CLASS STANDARDS

Theft-deterrent system, PASSLock II

Tachometer Instrumentation, analog-inc: speedometer, odometer w/trip odometer, fuel level, voltmeter, engine temperature, oil pressure gauges, tachometer, liftgate ajar, warning light for safety belt, ABS/parking brake, directional hazard signals & high beam

Warning tones, headlamp on, key-in-ignition

Air conditioning, front manual Heater & defogger-inc: front & side window defoggers & rear passenger heating ducts

Sound System, ETR AM/FM stereo w/CD player-inc: seek-&-scan, digital clock, auto-tone control, TheftLock, speed-compensated volume, Radio Data System (RDS) & 6-speakers

Glovebox, passenger side of instrument panel

Power outlets, auxiliary, covered, 12-volt

Cupholders, center console, door & rear armrests

Mirror, inside rearview, manual day/night

Armrests, driver & passenger doors, padded

Door trim, w/integral padded armrest & front door map pockets

Headliner, color-keyed cloth, w/matching retainer moldings

Visors, padded, driver & passenger side w/cloth trim, vanity mirror on passenger side

Lighting, dome lamp-inc: door- & tailgate-activated switches

Assist handles, driver & front passenger, rear outboard passenger

Coat hooks, driver & passenger side, rear seat

Power windows

Power programmable door locks

EPA FUEL ECONOMY RATINGS

City 15/hwy 20 (4.3L engine/4-speed auto trans) (2002)

EMISSIONS CERTIFICATION

LEV certified (4.3L engine/4-speed auto trans) (2002)

SAFETY

Brakes, 4-wheel antilock

Air bags, frontal, driver & right front passenger

Daytime running lamps-inc: automatic exterior lamp control

Brake/transmission shift interlock

Horn, dual note, high & low

POWERTRAIN

SAE Net Horsepower @ RPM 190 @ 4400

SAE Net Torque @ RPM 250 @ 2800

MILEAGE

EPA Fuel Economy Est (MPG)	15.00	20.00
----------------------------	-------	-------

Cruising Range (mi)	270.00	360.00
---------------------	--------	--------

PAYLOAD/TRAILERING SPECIFICATIONS

WEIGHT INFORMATION	Front	Rear	Total
Gross Axle Weight Rating (lbs)	2,800.00	2,900.00	5,700.00
Curb Weight (lbs)	2,289.00	1,735.00	4,024.00
Total Option Weight (lbs)	19.00	60.00	79.00
Reserve Axle Capacity (lbs)			
Gross Vehicle Weight Rating (lbs)			5,350.00

2003 FLEET OPERATIONS CLASS STANDARDS

As Spec'd Curb Weight (lbs)	4,103.00
As Spec'd Payload (lbs)	1,247.00
Gross Combined Wt Rating (lbs)	9,500.00

TRAILERING	Max Trailer Wt.	Max Tongue Load
Dead Weight Hitch (lbs)	not reported	
Weight Distributing Hitch (lbs)	5,000.00	500.00
Fifth Wheel Hitch (lbs)	N/A	N/A

DIMENSION SPECIFICATIONS**EXTERIOR DIMENSIONS**

Wheelbase (in)	107.00
Width, Max w/o mirrors (in)	67.80
Height, Overall (in)	64.20
Overhang	
Overhang, Front (in)	34.80
Overhang, Rear w/o bumper (in)	
Ground to Top of Load Floor (in)	30.00
Ground Clearance	
Ground Clearance, Front (in)	8.30
Ground Clearance, Rear (in)	7.50 Rear
Door Side Door	

CARGO AREA DIMENSIONS

Length @ Floor	
Width	
Cargo Box Width @ Wheelhousings (in)	38.10
Cargo Box (Area) Height (in)	34.10
Cargo Volume	

INTERIOR DIMENSIONS

Passenger Capacity	5	
Seating Position	Front	Second
Head Room (in)	39.60	38.20
Leg Room (in)	42.40	36.30
Shoulder Room (in)	57.10	57.20
Hip Room (in)	53.60	51.30

**2003 Ford Expedition
U16 5.4L XLT Popular 4WD**

Standard Class: 4804

Total Price: \$28,227.00

EQUIPMENT

MECHANICAL

5.4L (330) SOHC SEFI V8 "Triton" engine
4-speed automatic transmission w/OD
2-speed transfer case w/3-position Control Trac shift-on-the-fly
4-wheel drive
Limited slip rear axle
72 amp/hr (650-CCA) maintenance-free battery w/battery saver feature
130-amp alternator
Integrated class IV trailer towing receiver-inc: 4-pin & 7-pin connectors
Front tow hooks
3275# capacity front coil springs/4128# capacity rear coil springs
3350# capacity front axle/4128# capacity rear axle
Double wishbone front suspension w/coil-over shock
Independent rear suspension
Gas-charged shock absorbers
Front/rear stabilizer bars
(5) P265/70R17 all-terrain SBR OWL tires
Underbody-mounted full size spare tire w/crank down feature
17" x 7.5" bright alloy wheels
Steel spare wheel
Variable assist pwr rack & pinion steering
Pwr 4-wheel disc brakes
4-wheel anti-lock braking system
28.0 gallon fuel tank

EXTERIOR

Luggage rack w/cross bars
Painted body-color upper/molded in color lower front/rear step bumpers
Running boards
Color-keyed lower body-side cladding
Platinum grille
Body-color door handles
Fog lamps
Autolamp feature-inc: auto on-off headlamp w/delay
Black pwr heated fold-away mirrors w/security approach lamps
Complete solar-tinted glass
Privacy glass-inc: rear doors, rear quarter windows, liftgate window
Speed-sensitive intermittent windshield wipers w/washer
Rear window intermittent wiper w/washer
Rear liftgate w/flip-up glass

INTERIOR

Cloth 60/40 split front bench seat-inc: pwr driver seat, dual manual lumbars, manual recline
Cloth 2nd row 40/20/40 split bench seat-inc: sliding center portion, recline & fold flat feature, carpeted seatbacks, easy-entry to 3rd row feature
Cloth 3rd row 60/40 split bench seat-inc: fold flat feature
Head restraints at all outboard seating positions
11-oz front/8-oz rear floor carpeting
Front/rear 12-oz carpeted floor mats
Color-keyed polyurethane steering wheel
Tilt steering column
Pwr adjustable accelerator/brake pedals
Analog instrumentation-inc: voltmeter, oil pressure, water temp, speedometer, odometer, tachometer, fuel level
Warning lights-inc: door ajar, fasten seat belts, anti-lock brakes, cruise control, airbag, engine check, high beams, parking brake, low fuel/washer fluid, turn signal, charge system, OD off, check gauges
Pwr windows w/driver one-touch-down
Pwr door locks
Remote keyless entry w/(2) key fobs, illuminated entry, driver door keypad
Cruise control
Homelink universal transmitter
SecuriLock passive anti-theft system
Pwr accessory delay
Manual air conditioning
Rear floor heat ducts
Auxiliary rear air conditioner w/heater
Rear window defroster
Premium electronic AM/FM stereo radio w/CD/cassette-inc: speed-compensated volume control, (4) speakers, RDS, clock
Concealed antenna in RH quarter glass
Locking glove box
Cup holders-inc: (2) instrument panel, (4) door trim panels, (3) 3rd row quarter trim panels
Ashtrays-inc: (1) mounted on instrument panel w/light
Cigarette lighter
Pwr point on instrument panel
Cargo area pwr point
Front & rear door map pockets
Electrochromic rearview mirror
Overhead console-inc: map lights, dual sunglasses holders, front aux HVAC controls, conversation mirror
Color-keyed cloth headliner
Dual color-keyed cloth sunvisors w/aux visors, dual illuminated mirrors
Assist handles-inc: (1) front passenger, (2) second row
Coat hooks-inc: (2) second row, (2) 3rd row
Theatre dimming feature
Lights-inc: underhood, glove box, front door approach, front dome/map, rear cargo

EMISSIONS CERTIFICATION

LEV certified (5.4L engine/4-speed auto trans) (2002)

EPA FUEL ECONOMY RATINGS

City 13/hwy 17 (5.4L engine/4-speed auto trans) *Estimated*

SAFETY

Driver & front passenger airbags-inc: driver seat position & load severity sensing
 4-wheel anti-lock braking system
 Color-keyed lap/shoulder safety belts w/Beltminder system-inc: buckle pretensioners, load-limiting retractors
 Front/2nd row adjustable shoulder belt height
 Front/rear outboard head restraints
 Side intrusion door beams
 Child-proof rear door locks

POWERTRAIN

SAE Net Horsepower @ RPM 260 @ 4500
 SAE Net Torque @ RPM 350 @ 2500

MILEAGE

EPA Fuel Economy Est (MPG)	13.00	17.00
Cruising Range (mi)	364.00	476.00

PAYLOAD/TRAILERING SPECIFICATIONS

WEIGHT INFORMATION	Front	Rear	Total
Gross Axle Weight Rating (lbs)	3,275.00	4,128.00	7,403.00
Curb Weight (lbs)	not reported		
Total Option Weight (lbs)	0.00	0.00	0.00
Reserve Axle Capacity (lbs)			
Gross Vehicle Weight Rating (lbs)			7,403.00
As Spec'd Curb Weight (lbs)			not reported
As Spec'd Payload (lbs)			not reported
Gross Combined Wt Rating (lbs)			not reported

TRAILERING	Max Trailer Wt.	Max Tongue Load
Dead Weight Hitch (lbs)	not reported	
Weight Distributing Hitch (lbs)	not reported	
Fifth Wheel Hitch (lbs)	N/A	N/A

DIMENSION SPECIFICATIONS
EXTERIOR DIMENSIONS

Wheelbase (in)	119.10
Width, Max w/o mirrors (in)	not reported
Height, Overall (in)	not reported
Overhang	
Overhang, Front (in)	not reported
Overhang, Rear w/o bumper (in)	
Ground to Top of Load Floor (in)	not reported
Ground Clearance	
Ground Clearance, Front (in)	not reported
Ground Clearance, Rear (in)	not reported
Rear Door	
Side Door	

CARGO AREA DIMENSIONS

Length @ Floor

Width

Cargo Box Width @ Wheelhousings (in) not reported

Cargo Box (Area) Height (in) not reported

Cargo Volume

INTERIOR DIMENSIONS

Passenger Capacity 6

Seating Position	Front	Second	Third
Head Room (in)	39.60	39.80	
Leg Room (in)	41.10	38.50	
Shoulder Room (in)	63.40	64.20	
Hip Room (in)	63.00	62.30	

**2003 Ford Explorer
U72 4dr 114" WB 4.0L XLS 4WD**

Standard Class: 4811

Total Price: \$22,749.00

EQUIPMENT

MECHANICAL

4.0L (245) SOHC SEFI V6 FFV engine
Hood assist gas cylinders
5-speed automatic transmission w/OD
Control-Trac part-time 4WD transfer case
3.73 axle ratio w/limited slip
4-wheel drive
72 amp/hr maintenance-free battery w/battery saver feature
130-amp alternator
Class III/IV trailer towing w/class III receiver hitch, 7-pin connector
2800# capacity front axle/3000# capacity rear axle
Independent rear suspension
Front linear rate coil springs
Rear variable rate coil springs
HD gas shock absorbers
Front/rear stabilizer bars
P255/70R16 all-terrain OWL tires
Full-size spare tire w/steel wheel, underbody mount
16" "electric silver" painted full face steel wheels
Pwr rack & pinion steering
Pwr 4-wheel disc brakes
4-wheel anti-lock brakes
22.5 gallon fuel tank

EXTERIOR

Black roof rails
Medium dark platinum front/rear bumpers
Painted body-side moldings
Black-out B-pillar treatment
Black egg crate design grille
Faceted reflector quad beam headlights
Black folding pwr mirrors
Solar-tinted glass-inc: windshield, front door glass
Privacy glass-inc: rear door/rear quarter/liftgate glass
Speed-sensitive dual intermittent front wipers
Dual intermittent rear wiper/washer
One-piece top-hinged liftgate-inc: flip-open rear window, paddle-type handle
Exterior liftgate release switch
Black-grained door handles
Hood/instrument panel sound insulation
Off-road package, inc: fuel tank/transfer case skid plates, special tuned shocks/suspension, front tow hooks

INTERIOR

5-passenger seating
Cloth low-back front buckets w/adjustable head restraints
60/40 split-folding 2nd row seat w/head restraints
Low-series floor console-inc: storage bin, (2) front & (2) rear cup holders, cigar lighter socket w/tethered cap, front pwr point, coin holder, tissue/ map holder, molded mat w/pencil holder
Color-keyed full-length carpet
Color-keyed plastic scuff plates on all doors & liftgate
Tilt steering column
Instrument cluster-inc: fuel, temp, voltmeter, oil pressure gauges w/warning lights, trip odometer, tachometer
Warning chimes-inc: headlights-on, key-in-ignition, safety belt, door ajar
Pwr windows-inc: illuminated controls, "one-touch-down" driver window
Pwr door locks w/cargo area lock/unlock button
Speed control w/fingertip control, tap-up/tap-down feature
Remote keyless entry-inc: 2 key fobs, 2-stage unlocking, autolock, liftgate glass release
Securilock passive anti-theft system
Pwr accessory delay
Air conditioning
Flow-through ventilation
Rear window defroster
Electronic AM/FM stereo w/cassette/compact disc/clock w/4-speakers, 80-watts
Fixed antenna
Illuminated glove box w/color-keyed latch
Color-keyed full door trim panels-inc: armrest/pull handle, color-keyed inserts, map pockets
Front door integrated 20-oz cup holders
Color-keyed woven cloth headliner
Color-keyed cloth sunvisors w/covered vanity mirrors
(3) grab handles
(4) color-keyed coat hooks
Soft release parking brake
Illuminated entry w/key fob activation
Front dome/map light
Cargo area dome light
(4) load floor tie-down hooks/child seat tether anchors
Cargo management system

EPA FUEL ECONOMY RATINGS

City 15/hwy 20 (4.0L SOHC flex-fuel engine/5-speed auto trans)

EMISSIONS CERTIFICATION

LEV certified (4.0L SOHC flex-fuel engine/5-speed auto trans)

SAFETY

Driver & front passenger "Second Generation" airbags w/theft deterrent
4-wheel anti-lock brakes
1st/2nd row 3-point safety belts all seating positions w/outboard height adjustment
Driver side BeltMinder feature
Child safety rear door locks
Rear child seat tether anchor brackets
Dual note horn

POWERTRAIN

SAE Net Horsepower @ RPM 210 @ 5100

SAE Net Torque @ RPM 254 @ 3700

MILEAGE

EPA Fuel Economy Est (MPG) 15.00 21.00

Cruising Range (mi) 337.50 472.50

PAYLOAD/TRAILERING SPECIFICATIONS

WEIGHT INFORMATION	Front	Rear	Total
Gross Axle Weight Rating (lbs)	2,800.00	3,000.00	5,800.00
Curb Weight (lbs)	not reported		
Total Option Weight (lbs)	0.00	0.00	0.00
Reserve Axle Capacity (lbs)			
Gross Vehicle Weight Rating (lbs)	5,800.00		
As Spec'd Curb Weight (lbs)	not reported		
As Spec'd Payload (lbs)	not reported		
Gross Combined Wt Rating (lbs)	not reported		

TRAILERING **Max Trailer Wt. Max Tongue Load**

Dead Weight Hitch (lbs)	not reported	
Weight Distributing Hitch (lbs)	not reported	
Fifth Wheel Hitch (lbs)	N/A	N/A

DIMENSION SPECIFICATIONS
EXTERIOR DIMENSIONS

Wheelbase (in)	113.70
Width, Max w/o mirrors (in)	72.10
Height, Overall (in)	71.90
Overhang	
Overhang, Front (in)	31.70
Overhang, Rear w/o bumper (in)	
Ground to Top of Load Floor (in)	not reported
Ground Clearance	
Ground Clearance, Front (in)	not reported
Ground Clearance, Rear (in)	not reported
Rear Door	
Side Door	

CARGO AREA DIMENSIONS

Length @ Floor	
Width	
Cargo Box Width @ Wheelhousings (in)	45.40
Cargo Box (Area) Height (in)	not reported
Cargo Volume	

INTERIOR DIMENSIONS

Passenger Capacity 5

Seating Position	Front	Second	Third
Head Room (in)	39.90	38.90	
Leg Room (in)	43.90	37.20	
Shoulder Room (in)	59.10	58.90	
Hip Room (in)	55.00	54.30	

**2003 Chevrolet Venture
1UN16 Reg WB w/1SA Pkg**

Standard Class: 4901

Total Price: \$18,947.00

EQUIPMENT

MECHANICAL

Engine, 3.4L 3400 V6 SFI (185 HP [138.0 kW] @ 5200 rpm, 210 lb.-ft. [283.5 N-m] @ 4000 rpm)
Transmission, 4-speed automatic, electronically controlled w/overdrive
Drivetrain, front-wheel drive
Battery, Delco maintenance free-inc: rundown protection
Suspension, soft ride
Tires, P215/70R15, all-season, blackwall
Wear indicators, tire tread
Wheel covers, 15" (38.1 cm) bolt-on, composite
Wheels, 15" (38.1 cm) steel
Tire, spare, compact-inc: underbody carrier & hoist
Steering, power, rack-and-pinion
Brakes, front disc/rear drum
Exhaust, stainless-steel

EXTERIOR

Moldings, bodyside, black
Bumpers/fascia, front & rear, body-color
Grille, chrome-inc: gray insert
Headlamps, halogen, composite-inc: automatic exterior lamp control
Mirrors, outside rearview, power, heated, black, folding
Glass, Solar-Ray deep tinted
Wipers, intermittent, front
License plate bracket, front-inc: cover for states where a front license plate is not required

INTERIOR

Seats, value, front bucket
Seats, value cloth, 7-passenger, 2nd row 60/40 split-folding bench & 3rd row 50/50
Steering column, tilt-wheel, adjustable
Windows, power, front-inc: driver express-down
Windows, manual, rear quarter vent
Door locks, power programmable-inc: lockout protection & delayed locking
Cruise control, electronic w/set & resume speed-inc: telltale in instrument panel cluster
Air conditioning, front manual
Rear window defogger with wiper
Sound system, ETR AM/FM stereo w/CD player-inc: seek-and-scan & digital clock
Antenna, fixed-mast
Power outlets, auxiliary, front, 12-volt
Console, overhead, short
Console, floor
Visors, vanity mirrors, driver & front passenger
Lighting, interior roof rail, 3rd row
Lighting, interior, front dome, glovebox, ashtray & rear cargo
Cupholders, dual front, 2nd & 3rd rows

EPA FUEL ECONOMY RATINGS

City 19/hwy 26 (3.4L engine/4-speed auto trans) (2002)

SAFETY

Air bags, frontal, driver & right front passenger

Door locks, child security, rear

POWERTRAIN

SAE Net Horsepower @ RPM 185 @ 5200

SAE Net Torque @ RPM 210 @ 4000

MILEAGE

EPA Fuel Economy Est (MPG) 19.00 26.00

Cruising Range (mi) 380.00 520.00

PAYLOAD/TRAILERING SPECIFICATIONS

WEIGHT INFORMATION

Base Curb Weight (lbs) 3,699.00

TRAILERING

Max Trailer Wt. Max Tongue Load

Dead Weight Hitch (lbs) 3,500.00 350.00

Weight Distributing Hitch (lbs) N/A N/A

DIMENSION SPECIFICATIONS

EXTERIOR DIMENSIONS

Wheelbase (in) 112.00

Length, Overall (in) 186.90

Width, Max w/o mirrors (in) 72.00

Height, Overall (in) 67.40

Tread Width

Tread Width, Front (in) 61.50

Tread Width, Rear (in) 63.30

Min Ground Clearance (in) not reported

Rear Door

CARGO AREA DIMENSIONS

Length @ Floor

Width

Liftover Height (in)

Cargo Volume

INTERIOR DIMENSIONS

Passenger Capacity 7

Passenger Volume (ft³) not reported

EPA Classification 2WD Minivans

Seating Position Front Second Third

Head Room (in) 39.90 39.30

Leg Room (in) 39.90 36.90

Shoulder Room (in) 59.80 61.90

Hip Room (in) not reported

**2003 GMC Safari Passenger
TL11006 Ext 111" WB AWD**

Standard Class: 4903

Total Price: \$20,262.00

EQUIPMENT

MECHANICAL

Engine, Vortec 4300 V6 MFI (190 HP [141.7 kW] @ 4400 rpm, 250 lb.-ft. [339.5 N-m] @ 2800 rpm)
Transmission, 4-speed automatic, electronically controlled w/overdrive
Tow/haul mode selector, at center of shift lever
Transfer case, AWD electronic automatic system
Rear axle, 3.42 ratio
All-wheel drive
Battery, heavy-duty, 600 cold-cranking amps-inc: rundown protection & retained accessory power
Alternator, 105 amps
Trailer equipment, heavy-duty inc: trailering hitch platform & 8-lead wiring harness
Suspension, front, independent torsion bar
Suspension, rear, single-stage spring, steel
GVWR, 6100 lbs. (2767 kg)
Tires, P215/70R16, all-season, blackwall
Tire, spare, compact, mounted w/wheel under floor & winch-type carrier located under floor
Wheels, 4 - 16" x 6.5" (40.6 cm x 16.5 cm) styled steel, painted-inc: center caps & steel spare
Steering, power
Brakes, 4-wheel antilock, 4-wheel disc
Exhaust, aluminized stainless-steel muffler & tailpipe

EXTERIOR

Bumpers, front & rear, painted body-color, rear step-inc: pad Grille, molded w/chrome accents
Headlamps, dual halogen composite-inc: flash-to-pass feature & automatic lamp control
Mirrors, outside rearview, foldaway, power, black, below eye-line
Glass, Solar-Ray deep tinted (all windows except light tinted glass on windshield, driver & front passenger)
Glass, complete body window package-inc: swing-out glass for side sliding- door window & driver side front quarter window
Wipers, intermittent, front wet-arm w/pulse washers
License plate attachment, front
Body, rear cargo panel doors, & sliding passenger side cargo doors

INTERIOR

Seating, 8-passenger, custom cloth trim, front buckets, reclining w/inboard armrests, map pockets, manual driver lumbar support, head restraints w/ center & rear row removable benches
Floor mats, color-keyed, rubberized vinyl, removable, for all seating areas
Convenience package, Tilt-Wheel & cruise control
Instrumentation, analog-inc: speedometer, odometer w/trip odometer, fuel level, voltmeter, engine temperature & oil pressure
Warning tones, headlamp on, key-in-ignition, driver safety belt unfasten, turn signal on
Convenience package, power windows & door locks
Theft-deterrent system, PASSLock
Air conditioning, front manual Heater & defogger-inc: front & side window defoggers & rear passenger heating ducts
Sound system, ETR AM/FM stereo w/CD player-inc: seek-and-scan & digital clock

2003 FLEET OPERATIONS CLASS STANDARDS

Storage bin, in driver side center & rear quarter panels
Cupholders, in-dash, center & rear
Glovebox, lockable, in front of engine cover
Cigarette lighter, on engine cover console
Power outlets, auxiliary, covered, 2 on engine cover in front, plus lighter, 12-volt
Assist handles, front passenger & sliding door pillar
Visors, padded, driver & passenger side w/vinyl trim & dual vanity mirrors
Lighting, interior, dome lamp, door handle-activated delayed illuminated entry lamps, front & middle entry-inc:
adjustable reading, rear dome & dome defeat switch
Lighting, interior, dual reading

EPA FUEL ECONOMY RATINGS

City 15/hwy 18 (4.3L engine/4-speed auto trans) (2002)

SAFETY

Brakes, 4-wheel antilock, 4-wheel disc
Air bags, frontal, driver & right front passenger
Door beams, steel-side

POWERTRAIN

SAE Net Horsepower @ RPM 190 @ 4400
SAE Net Torque @ RPM 250 @ 2800

MILEAGE

EPA Fuel Economy Est (MPG)	15.00	18.00
Cruising Range (mi)	405.00	486.00

PAYLOAD/TRAILERING SPECIFICATIONS

WEIGHT INFORMATION	Front	Rear	Total
Gross Axle Weight Rating (lbs)	3,050.00	3,100.00	6,150.00
Curb Weight (lbs)	not reported		
Total Option Weight (lbs)	0.00	0.00	0.00
Reserve Axle Capacity (lbs)			
Gross Vehicle Weight Rating (lbs)			6,100.00
As Spec'd Curb Weight (lbs)			not reported
As Spec'd Payload (lbs)			not reported
Gross Combined Wt Rating (lbs)			9,500.00

TRAILERING	Max Trailer Wt.	Max Tongue Load
Dead Weight Hitch (lbs)	4,700.00	470.00
Weight Distributing Hitch (lbs)	4,600.00	450.00
Fifth Wheel Hitch (lbs)	N/A	N/A

DIMENSION SPECIFICATIONS

EXTERIOR DIMENSIONS

Wheelbase (in)	111.20
Width, Max w/o mirrors (in)	77.50
Height, Overall (in)	75.00
Overhang	
Overhang, Front (in)	32.50

Overhang, Rear w/o bumper (in)
Ground to Top of Load Floor (in) 26.00
Ground Clearance
 Ground Clearance, Front (in) 6.80
 Ground Clearance, Rear (in) 7.40
Rear Door Side Door

CARGO AREA DIMENSIONS

Length @ Floor Width
Cargo Box Width @ Wheelhousings (in) 51.60
Cargo Box (Area) Height (in) 47.20
Cargo Volume

INTERIOR DIMENSIONS

Passenger Capacity 8

Seating Position	Front	Second
Head Room (in)	39.20	37.90
Leg Room (in)	41.60	36.50
Shoulder Room (in)	64.00	67.10
Hip Room (in)	65.00	50.90

**2003 Dodge Ram Van
AB1L11 1500 109" WB**

Standard Class: 4904

Total Price: \$13,245.00

EQUIPMENT

MECHANICAL

3.9L (239) MPI V6 "Magnum" engine
3-speed automatic transmission
3.55 axle ratio
Rear wheel drive
600-CCA maintenance-free battery
117-amp alternator
109.6" wheelbase
6600# GVWR, axles (3500 front/3850 rear)
HD front/rear shock absorbers
Front stabilizer bar
P245/75R16 all-season OWL tires
16" x 6.5" painted steel wheels
Full-size spare tire w/winch carrier
Cruise control
Tilt steering
Pwr rack & pinion steering
Pwr 4-wheel anti-lock disc brakes
31 gallon fuel tank
Scissor-type jack

EXTERIOR

Front bright bumper w/step cap
Rear bright bumper
Lower body-side/rear quarter tape stripe
Halogen headlamps
Dual black manual 6" x 9" mirrors
Vision van window group, inc: fixed side/rear cargo door glass, LH side glass (opposite RH door), RH/LH side rear quarter glass
Tinted glass
Variable intermittent windshield wipers
RH side & rear hinged cargo doors

INTERIOR

Dual HD vinyl front bucket seats
Front storage console
Black vinyl floor covering
Oil pressure gauge
Low washer fluid warning signal
Warning buzzers-inc: key-in-ignition, fasten seat belts
Electronic AM/FM stereo radio/cassette-inc: (6) speakers
Cigar lighter
Lower instrument panel skirts
Color-keyed front compartment garnish

Passenger assist handle
 Front door trim panels
 Door sill scuff pads
 Vinyl sunvisors
 Cargo compartment lamp
 Air Conditioning
 Rear window defroster

EPA FUEL ECONOMY RATINGS

City 14/hwy 16 (3.9L engine/3-speed auto trans) *Estimate*
 City 13/hwy 15 (5.2L engine/4-speed auto trans) *Estimate*

SAFETY

Pwr 4-wheel anti-lock disc brakes
 Driver & front passenger next generation airbags
 Child seat upper tether anchorage

POWERTRAIN

SAE Net Horsepower @ RPM 175 @ 4800
 SAE Net Torque @ RPM 225 @ 3200

MILEAGE

EPA Fuel Economy Est (MPG)	15.00	17.00
Cruising Range (mi)	465.00	527.00

PAYLOAD/TRAILERING SPECIFICATIONS

WEIGHT INFORMATION	Front	Rear	Total
Gross Axle Weight Rating (lbs)	3,500.00	3,850.00	7,350.00
Curb Weight (lbs)	2,516.00	1,657.00	4,173.00
Total Option Weight (lbs)	60.00	5.00	65.00
Reserve Axle Capacity (lbs)			
Gross Vehicle Weight Rating (lbs)			6,600.00
As Spec'd Curb Weight (lbs)			4,238.00
As Spec'd Payload (lbs)			2,362.00
Gross Combined Wt Rating (lbs)			8,800.00

TRAILERING	Max Trailer Wt.	Max Tongue Load
Dead Weight Hitch (lbs)	2,000.00	200.00
Weight Distributing Hitch (lbs)	4,262.00	511.44
Fifth Wheel Hitch (lbs)		

DIMENSION SPECIFICATIONS

EXTERIOR DIMENSIONS

Wheelbase (in)	109.30
Width, Max w/o mirrors (in)	78.80
Height, Overall (in)	80.10
Overhang	
Overhang, Front (in)	38.30
Overhang, Rear w/o bumper (in)	
Ground to Top of Load Floor (in)	27.90

Ground Clearance

Ground Clearance, Front (in)	11.20
------------------------------	-------

Ground Clearance, Rear (in)	7.50
-----------------------------	------

Rear Door

Side Door

CARGO AREA DIMENSIONS

Length @ Floor

Width

Cargo Box Width @ Wheelhousings (in)	50.00
--------------------------------------	-------

Cargo Box (Area) Height (in)	53.00
------------------------------	-------

Cargo Volume (ft ³)	208.20
---------------------------------	--------

INTERIOR DIMENSIONS

Passenger Capacity	2
--------------------	---

Seating Position	Front
------------------	-------

Head Room (in)	38.90
----------------	-------

Leg Room (in)	39.00
---------------	-------

Shoulder Room (in)	68.00
--------------------	-------

Hip Room (in)	66.00
---------------	-------

**2003 Ford Econoline Wagon
E31 E-350 Super XL**

Standard Class: 4907 – 12 passenger

Total Price: \$22,308.00

EQUIPMENT

MECHANICAL

6.8L EFI V10 engine
4-speed automatic transmission w/OD
4.10 axle ratio
Rear-wheel drive
78 amp-hour maintenance-free battery
130 amp alternator
8700# GVWR
4600# capacity twin I-beam front/6340# capacity semi-floating rear axles
3550# capacity front/5545# capacity rear springs
Class II/III/IV trailer towing pkg w/hitch-inc: electric brake controller tap-in capability, trailer wiring harness, frame mounted hitch, front stabilizer bar, HD front/rear gas shock absorbers
(5) LT225/75R16E all-season SBR BSW tires
(5) 16" x 7.0" 8-hole steel wheels w/hub caps
Cruise control
Pwr steering
Pwr 4-wheel disc brakes
4-wheel anti-lock braking system (ABS)
35.0 gallon fuel tank

EXTERIOR

Light charcoal front/rear bumpers
Light charcoal grille/surround
Sealed-beam halogen headlights
Dual pwr mirrors w/RH convex lens
Solar tinted glass
Privacy glass
Interval windshield wipers
60/40 hinged swing-out side cargo door
Running boards

INTERIOR

12-passenger seating
Graphite vinyl high-back front bucket seats
(2) 3-passenger graphite vinyl intermediate bench seats
(1) 4-passenger graphite vinyl rear bench seat
Power door locks
Power window locks
Front inboard armrest
Color-keyed engine cover-inc: dual bin stowage, (4) cup holders
Underseat passenger-side storage
Full-length black vinyl floor covering
Black plastic stepwell pads
Tilt steering wheel

Front and rear air conditioning
Electronic AM/FM stereo radio w/cassette-inc: digital clock, (4) speakers
Medium flint instrument panel-inc: 12-volt pwr point
Medium flint plastic front door trim panels w/integral map pockets
Medium flint side/rear quarter trim panels
Polypropylene side/rear door trim
Black cowl side trim panels
Medium flint coat hooks
Medium graphite full-length acoustical cloth headliner
Medium flint cloth sun visors w/RH mirror & cover
Dual A-pillar grab handles
Front dome light
Rear 12-volt pwr point
Rear cargo light
Courtesy light switches for all doors

SAFETY

4-wheel anti-lock braking system (ABS)
Driver & front passenger airbags
Front height adjustable 3-point safety belts
Rear outboard 3-point safety belts
Electric dual-note horn
Daytime running lights

POWERTRAIN

SAE Net Horsepower @ RPM 305 @ 4250
SAE Net Torque @ RPM 420 @ 3250

MILEAGE

EPA Fuel Economy Est (MPG) not reported
Cruising Range (mi)

PAYLOAD/TRAILERING SPECIFICATIONS

WEIGHT INFORMATION	Front	Rear	Total
Gross Axle Weight Rating (lbs)	4,600.00	6,340.00	10,940.00
Curb Weight (lbs)	3,059.00	2,793.00	5,852.00
Total Option Weight (lbs)	192.00	148.00	340.00
Reserve Axle Capacity (lbs)			
Gross Vehicle Weight Rating (lbs)			8,700.00
As Spec'd Curb Weight (lbs)			6,192.00
As Spec'd Payload (lbs)			2,508.00
Gross Combined Wt Rating (lbs)			18,500.00

TRAILERING	Max Trailer Wt.	Max Tongue Load
Dead Weight Hitch (lbs)	10,000.00	1,000.00
Weight Distributing Hitch (lbs)	10,000.00	1,000.00
Fifth Wheel Hitch (lbs)	N/A	N/A

DIMENSION SPECIFICATIONS**EXTERIOR DIMENSIONS**

Wheelbase (in)	138.00
Width, Max w/o mirrors (in)	79.30
Height, Overall (in)	83.40
Overhang	
Overhang, Front (in)	30.10
Overhang, Rear w/o bumper (in)	
Ground to Top of Load Floor (in)	28.80
Ground Clearance	
Ground Clearance, Front (in)	not reported
Ground Clearance, Rear (in)	not reported
Rear Door	
Side Door	

CARGO AREA DIMENSIONS

Length @ Floor	
Width	
Cargo Box Width @ Wheelhousings (in)	51.30
Cargo Box (Area) Height (in)	52.50
Cargo Volume	

INTERIOR DIMENSIONS

Passenger Capacity	12	
Seating Position	Front	Second
Head Room (in)	42.50	40.20
Leg Room (in)	40.00	36.90
Shoulder Room (in)	68.40	70.50
Hip Room (in)	65.60	66.50

**2003 Ford Econoline Wagon
S31 E-350 Super Ext XL**

Standard Class: 4907 – 15 passenger

Total Price: \$22,785.00

EQUIPMENT

MECHANICAL

6.8L EFI V10 engine
4-speed automatic transmission w/OD
Rear-wheel drive
4.10 axle ratio
78 amp-hour maintenance-free battery
130 amp alternator
9100# GVWR
4600# capacity twin I-beam front/6340# capacity semi-floating rear axles
3400# capacity front/6195# capacity rear springs
Class II/III/IV trailer towing pkg w/hitch-inc: electric brake controller tap-in capability, trailer wiring harness, frame mounted hitch, front stabilizer bar, HD front/rear gas shock absorbers
(5) LT245/75R16E all-season SBR BSW tires
(5) 16" x 7.0" 8-hole steel wheels w/hub caps
Cruise control
Pwr steering
Pwr 4-wheel disc brakes
4-wheel anti-lock braking system (ABS)
35.0 gallon fuel tank

EXTERIOR

Light charcoal front/rear bumpers
Light charcoal grille/surround
Sealed-beam halogen headlights
Dual pwr mirrors w/RH convex lens
Solar tinted glass
Privacy glass
Interval windshield wipers
60/40 hinged swing-out side cargo door
Running boards

INTERIOR

15-passenger seating
Graphite vinyl high-back front bucket seats
(3) 3-passenger graphite vinyl intermediate bench seats
(1) 4-passenger graphite vinyl rear bench seat
Front inboard armrest
Color-keyed engine cover-inc: dual bin stowage, (4) cup holders
Underseat passenger-side storage
Full-length black vinyl floor covering
Black plastic stepwell pads
Tilt steering wheel
Power windows
Power locks

Front/rear high capacity air conditioning w/auxiliary heater, overhead ducts
Electronic AM/FM stereo radio w/cassette-inc: digital clock, (4) speakers
Medium flint instrument panel-inc: 12-volt pwr point
Medium flint plastic front door trim panels w/integral map pockets
Medium flint side/rear quarter trim panels
Polypropylene side/rear door trim
Black cowl side trim panels
Medium flint coat hooks
Medium graphite full-length acoustical cloth headliner
Medium flint cloth sun visors w/RH mirror & cover
Dual A-pillar grab handles
Front dome light
Rear 12-volt pwr point
Rear cargo light
Courtesy light switches for all doors

SAFETY

4-wheel anti-lock braking system (ABS)
Driver & front passenger airbags
Front height adjustable 3-point safety belts
Rear outboard 3-point safety belts
Electric dual-note horn
Daytime running lights

POWERTRAIN

SAE Net Horsepower @ RPM 305 @ 4250
SAE Net Torque @ RPM 420 @ 3250

MILEAGE

EPA Fuel Economy Est (MPG) not reported
Cruising Range (mi)

PAYLOAD/TRAILERING SPECIFICATIONS

WEIGHT INFORMATION	Front	Rear	Total
Gross Axle Weight Rating (lbs)	4,600.00	6,340.00	10,940.00
Curb Weight (lbs)	3,052.00	3,272.00	6,324.00
Total Option Weight (lbs)	127.00	89.00	216.00
Reserve Axle Capacity (lbs)			
Gross Vehicle Weight Rating (lbs)			9,300.00
As Spec'd Curb Weight (lbs)			6,540.00
As Spec'd Payload (lbs)			2,760.00
Gross Combined Wt Rating (lbs)			18,500.00

TRAILERING	Max Trailer Wt.	Max Tongue Load
Dead Weight Hitch (lbs)	10,000.00	1,000.00
Weight Distributing Hitch (lbs)	10,000.00	1,000.00
Fifth Wheel Hitch (lbs)	N/A	N/A

DIMENSION SPECIFICATIONS**EXTERIOR DIMENSIONS**

Wheelbase (in)	138.00
Width, Max w/o mirrors (in)	79.30
Height, Overall (in)	84.10
Overhang	
Overhang, Front (in)	30.10
Overhang, Rear w/o bumper (in)	
Ground to Top of Load Floor (in)	30.20
Ground Clearance	
Ground Clearance, Front (in)	not reported
Ground Clearance, Rear (in)	not reported
Rear Door	
Side Door	

CARGO AREA DIMENSIONS

Length @ Floor	
Width	
Cargo Box Width @ Wheelhousings (in)	51.30
Cargo Box (Area) Height (in)	52.50
Cargo Volume	

INTERIOR DIMENSIONS

Passenger Capacity	15	
Seating Position	Front	Second
Head Room (in)	42.50	40.20
Leg Room (in)	40.00	36.90
Shoulder Room (in)	68.40	70.50
Hip Room (in)	65.60	66.50

**2003 DODGE RAM VAN
AB3L12 3500 127" WB****Standard Class: 4910****Total Price: \$16,807.00****EQUIPMENT****MECHANIC**

5.2L (318) MPI V8 "Magnum" engine
4-speed automatic transmission w/OD
3.92 axle ratio
Rear wheel drive
750-CCA maintenance-free battery
136-amp alternator
HD engine cooling
Auxiliary transmission oil cooler
127.6" wheelbase
8700# GVWR, axles (4000 front/5740 rear)
HD front/rear shock absorbers
Front stabilizer bar
LT225/75R16E all-season SBR BSW tires
16" x 6.5" steel wheels
Full-size spare tire w/winch carrier
Cruise control
Tilt steering
Pwr rack & pinion steering
Pwr front disc/rear drum brakes
Rear wheel anti-lock brake system
35 gallon fuel tank
Scissor-type jack
Trailer tow group, inc: 7- to 4-pin adapter, class IV receiver hitch, 7-pin wiring harness

EXTERIOR

Front/rear painted bumpers
Lower body-side/rear quarter tape stripe
Halogen headlamps
Dual black manual 6" x 9" mirrors
Vision Van window group, inc: fixed side/rear cargo door glass, LH side glass (opposite RH door), RH/LH side rear quarter glass
Tinted glass
Variable intermittent windshield wipers
RH side & rear hinged cargo doors

INTERIOR

Dual HD vinyl non-reclining front bucket seats
Front storage console
Black vinyl floor covering
Oil pressure gauge
Low washer fluid warning signal
Warning buzzers-inc: key-in-ignition, fasten seat belts
Electronic AM/FM stereo radio/cassette-inc: (6) speakers

2003 FLEET OPERATIONS CLASS STANDARDS

Cigar lighter
Lower instrument panel skirts
Color-keyed front compartment garnish
Passenger assist handle
Front door trim panels
Door sill scuff pads
Vinyl sunvisors
Cargo compartment lamp
Air conditioning

SAFETY

4-wheel anti-lock brake system
Driver & front passenger next generation airbags
Child seat upper tether anchorage

POWERTRAIN

SAE Net Horsepower @ RPM 225 @ 4400
SAE Net Torque @ RPM 295 @ 3200

MILEAGE

EPA Fuel Economy Est (MPG) not reported
Cruising Range (mi)

PAYLOAD/TRAILERING SPECIFICATIONS

WEIGHT INFORMATION	Front	Rear	Total
Gross Axle Weight Rating (lbs)	4,000.00	5,740.00	9,740.00
Curb Weight (lbs)	2,863.00	1,818.00	4,681.00
Total Option Weight (lbs)	80.00	14.00	94.00
Reserve Axle Capacity (lbs)			
Gross Vehicle Weight Rating (lbs)			8,700.00
As Spec'd Curb Weight (lbs)			4,775.00
As Spec'd Payload (lbs)			3,925.00
Gross Combined Wt Rating (lbs)			12,500.00

TRAILERING	Max Trailer Wt.	Max Tongue Load
Dead Weight Hitch (lbs)	2,000.00	200.00
Weight Distributing Hitch (lbs)	7,425.00	891.00
Fifth Wheel Hitch (lbs)		

DIMENSION SPECIFICATIONS

EXTERIOR DIMENSIONS

Wheelbase (in)	127.20
Width, Max w/o mirrors (in)	78.80
Height, Overall (in)	81.40
Overhang	
Overhang, Front (in)	38.30
Overhang, Rear w/o bumper (in)	
Ground to Top of Load Floor (in)	27.20
Ground Clearance	
Ground Clearance, Front (in)	11.20

Ground Clearance, Rear (in) 7.40
Rear Door
Side Door

CARGO AREA DIMENSIONS

Length @ Floor

Width

Cargo Box Width @ Wheelhousings (in) 50.00
Cargo Box (Area) Height (in) 53.00
Cargo Volume (ft³) 238.90

INTERIOR DIMENSIONS

Passenger Capacity 2

Seating Position Front
 Head Room (in) 38.90
 Leg Room (in) 39.00
 Shoulder Room (in) 68.00
 Hip Room (in) 66.00